URBAN RESEARCH AND DEVELOPMENT CORP BETHLEHEM PA F/G 13/2
RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS. REPORT 1--ETC(U)
JUL 80
WES-MP-R-80-1-1 NL AD-A089 460 UNCLASSIFIED



RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

Report 1

BARKLEY LOCK AND DAM LAKE BARKLEY PROJECT AREA




Urban Research and Development Corporation


528 North New Street Bethlehem, Pa. 18018

MISCELLANEOUS PAPER R-80-1

JULY 1980

REPORT 1 OF A SERIES







Approved For Public Release; Distribution Unlimited

Prepared for

Office, Chief of Engineers, U. S. Army Washington, D. C. 20314

Under

HIS POCUMENT AS RECOGNALITY PRACTICABLE Intract No. DACW39-78-C-0096

HE CORY FURNISHED TO BDC CONTAINED A

IGNIFICANT NUVBER OF PAGES WHICH DO NOT

PRODUCE LEGIBLY.

Monitored by

Environmental Laboratory

U. S. Army Engineer Waterways Experiment Station

P. O. Box 631, Vicksburg, Miss. 39180

ORIGINAL CONTAINS COLOR PLATES: ALL DDC REPRODUCTIONS WILL BE IN BLACK AND WHITE S





MISCELLANEOUS PAPER R-80-1

RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

| | Title | |
|------------|---|----------|
| Report 1: | Barkley Lock and Dam, Lake Barkley Project Area | Jul 1980 |
| Report 2: | Benbrook Lake Project Area | Jul 1980 |
| Report 3: | Hartwell Lake Project Area | Jul 1980 |
| Report 4: | Lake Ouachita Project Area | Jul 1980 |
| Report 5: | Lake Shelbyville Project Area | Jul 1980 |
| Report 6: | McNary Lock and Dam, Lake Wallula Project Area | Jul 1980 |
| Report 7: | Milford Lake Project Area | Jul 1980 |
| Report 8: | New Hogan Lake Project Area | Jul 1980 |
| Report 9: | Shenango River Lake Project Area | Jul 1980 |
| Report 10: | Somerville Lake Project Area | Jul 1980 |
| Report 11: | Surry Mountain Lake Project Area | Jul 1980 |

Acknowledgements

We gratefully acknowledge the enthusiasm and excellent cooperation of the resource managers, rangers, and other Corps personnel at Lake Barkley and the representatives from the Nashville District Office. Their contributions of practical experience and knowledge, along with their assistance in arranging schedules, have made this carrying capacity research effort possible.

Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.



Missellarine joine

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

| | REPORT DOCUMENTATION PAGE | READ INSTRUCTIONS BEFORE COMPLETING FORM | | | | | |
|-------------|---|--|--|--|--|--|--|
| | 1. REPORT NUMBER (19 MP- 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER | | | | | |
| | Miscellaneous Paper R-80-1 AD- A089 | 460 | | | | | |
| | TITLE (and Dubilla) | 5. TYPE OF REPORT & PERIOD COVERED | | | | | |
| 1 | RECREATION CARRYING CAPACITY FACTS AND CONSIDERA- | | | | | | |
| | TIONS, Report 1. BARKLEY LOCK AND DAM, LAKE | Report 1 of a series 6. PERFORMING ORG. REPORT NUMBER | | | | | |
| | BARKLEY PROJECT AREA | 6. PERFORMING ORG. REPORT NUMBER | | | | | |
| | 7. AUTHOR(a) | B. CONTRACT OR GRANT NUMBER(+) | | | | | |
| | 737 | Contract No. | | | | | |
| 1 | | DACW39-78-C-0096 | | | | | |
| | 9. PERFORMING ORGANIZATION NAME AND ADDRESS | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS | | | | | |
| | Urban Research and Development Corporation | AREA & WORK UNIT NUMBERS | | | | | |
| | 528 North New Street | Recreation Research Program | | | | | |
| 1 | Bethlehem, Pa. 18018 NCIL | | | | | | |
| | 11. CONTROLLING OFFICE NAME AND ADDRESS | 12 REPORT DATE | | | | | |
| 1 | Office, Chief of Engineers, U. S. Army Washington, D. C. 20314 | / July 1980 / | | | | | |
| | 113011111g00119 1 · 0 · 20324 | 96 | | | | | |
| | 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) | 15. SECURITY CLASS. (of this report) | | | | | |
| | U. S. Army Engineer Waterways Experiment Station | | | | | | |
| 1 | Environmental Laboratory | Unclassified 15a. DECLASSIFICATION/DOWNGRADING | | | | | |
| | P. O. Box 631, Vicksburg, Miss. 39180 | SCHEDULE | | | | | |
| 1 | 16. DISTRIBUTION STATEMENT (of this Report) | | | | | | |
| | Approved for public release; distribution unlimite | a. (272) | | | | | |
| | 17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different from | n Report) | | | | | |
| | | j | | | | | |
| • | 18. SUPPLEMENTARY NOTES | _ | | | | | |
| | A project map of Lake Barkley is enclosed in an envinside the back cover of this report. | velope attached | | | | | |
| 1 | inside the back cover of this report. | | | | | | |
| 4 | | | | | | | |
| 1 | 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) | | | | | | |
| | Barkley Lake Project Recreation | Utilization | | | | | |
| \setminus | Carrying capacity Recreation resource planning | ıg | | | | | |
| V | Monitoring Recreational areas Overcrowding Recreational facilities | | | | | | |
| VI | Recitational facilities | | | | | | |
| 7 | 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) | | | | | | |
| | This report provides selected recreation carrying of for the Lake Barkley Project. The information is be management surveys conducted at Lake Barkley, and Un Corporation's observations and perceptions of the si | ased upon: 1) user and rban Research and Development tuations at the project's | | | | | |
| | activity areas. The report provides information regarding activity situations, user characteristics, carrying capacity findings, and other findings; it then | | | | | | |

DO 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

focuses on selected problem situations and their possible solutions.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

411949

 $\bigvee V$

| SECURITY CLASSIFICATION OF THIS PAGE(When | Deta Entered) | |
|---|---------------|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | ł |
| | | |
| Ì | | |
| 1 | | |
| 1 | | |
| | | |
| J | | |
| 1 | | |
| | | |
| | | |
| | | |
| | | |
| 1 | | |
| | | |
| | | |
| İ | | |
| | | |
| | | |
| | | |
| | | |
| 1 | | |
| | | |
| | | |
| | | |
| | | i |

PREFACE

This report presents the findings and recommendations of the Urban Research and Development Corporation (URDC) relative to recreational carrying capacity at the Barkley Lock and Dam, Lake Barkley Project Area. Results of site analyses and user surveys are presented as they relate to existing carrying capacity conditions on the project. The study was conducted under Contract with the U. S. Army Engineer Waterways Experiment Station (WES), Vicksburg, Mississippi, (Contract No. DACW39-78-C-0096).

Mr. Donald R. Detwiler, President of URDC, was Principal-In-Charge of this study, assisted by Mr. Martin C. Gilchrist, Executive Vice-President and Mr. David H. Humphrey, Vice-President. Mr. B. Thomas Palmer, Project Director, had the major responsibility for technical project direction; Messrs. Phillip D. Hunsberger and Paul L. Sabrosky were involved in the site analysis, conducting surveys, and the success analysis; and Mr. Timothy A. Fluck was involved in conducting surveys, survey analysis, and development of methodologies.

Mr. R. Scott Jackson, WES was the Project Monitor. Dr. Adolph Anderson, WES, was Program Manager of the Environmental Laboratory (EL) Recreation Research Program. The study was supervised by Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL, under the general supervision of Dr. John Harrison, Chief, EL.

COL John L. Cannon, CE, and COL Nelson P. Conover, CE were Commanders and Directors of WES during this study. Technical Director was Mr. F. R. Brown.

| Acces | sion For | | | | |
|--|-------------------|-------------|--|--|--|
| NTIS GRA&I DDC TAB Unannounced Justification | | | | | |
| Ву | | | | | |
| Distr | bution/ | | | | |
| _Avai | e): 41ty (| Codes | | | |
| Dist. | Avail and special | • | | | |

CONTENTS

| | <u> </u> | AGE |
|---|--------------------------------|-----|
| PREFACE | | i |
| CONVERSION FACTORS, U.S. CUSTOMARY TO ME | TRIC (SI) UNITS OF MEASUREMENT | iv |
| PART 1: INTRODUCTION | | 1 |
| This Report | | 3 |
| Purpose | | 3 |
| Relationship to Technical Report Qualifications | | 4 |
| Summary Project Area Description | | 5 |
| | | _ |
| PART 2: SURVEY FINDINGS BY ACTIVITY | | 7 |
| Boating and Waterskiing | | 9 |
| Orientation | | 9 |
| User characteristics | | 10 |
| User opinions | | 11 |
| Spacing preferences | | 11 |
| Reasons for pleasant/unpleasant | | 12 |
| Acceptability of techniques | | 14 |
| Boat Fishing | | 17 |
| Orientation | | 17 |
| User characteristics | | 18 |
| User opinions | | 19 |
| Spacing preferences | | 19 |
| Reasons for pleasant/unpleasant | | 20 |
| | | 22 |
| Acceptability of techniques | | 22 |
| Boat Launching | | 25 |
| Orientation | | 25 |
| User characteristics | | 26 |
| User opinions | | 27 |
| Preferred launch times | | 27 |
| Reasons for pleasant/unpleasant | | 27 |
| Acceptability of techniques | | 30 |
| Camping | | 33 |
| Orientation | | 33 |
| User characteristics | | 34 |
| User opinions | | 35 |
| | | 35 |
| Spacing preferences | | |
| Reasons for pleasant/unpleasant | | 36 |
| Acceptability of techniques | | 42 |
| Picnicking | | 45 |
| Orientation | | 45 |
| User characteristics | | 46 |
| User opinions | | 47 |
| Spacing preferences | | 47 |
| Reasons for pleasant/unpleasant | experience | 48 |
| Accentability of techniques | | 50 |

| | PAGE |
|--|------|
| Shoreline Fishing | 53 |
| Orientation | 53 |
| User characteristics | 54 |
| User opinions | 55 |
| Spacing preferences | 55 |
| Reasons for pleasant/unpleasant experience | 56 |
| Acceptability of techniques | 60 |
| Sunbathing and Swimming | 63 |
| Orientation | 63 |
| User characteristics | 64 |
| User opinions | 65 |
| Spacing preferences | 65 |
| Reasons for pleasant/unpleasant experience | 66 |
| Acceptability of techniques | 70 |
| PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS | 73 |
| APPENDICES | 77 |
| Appendix A: Key Terms | Al |
| Appendix B: Example Survey Forms | B1 |
| Annendix C: Project Area Description. | C1 |

CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI) UNITS OF MEASUREMENT

U. S. customary units of measurement used in this report can be converted to metric (SI) units as follows:

| Multiply | Ву | To Obtain |
|---|------------|----------------------------|
| acres | 4046.856 | square metres |
| Fahrenheit degrees | 5/9 | Celsuis degrees or Kelvins |
| feet | 0.3048 | metres |
| horsepower (550 foot and pounds per second) | 745.6999 | watts |
| inches | 2.54 | centimetres |
| miles per hour (U. S. statute) | 1.609344 | kilometres per hour |
| miles (U. S. statute) | 1.609344 | kilometres |
| square feet | 0.09290304 | square metres |
| yards | 0.9144 | metres |

^{*} To obtain Celsius (C) temperature readings from Fahrenheit (F) readings, use the following formula: C = (5/9) (F - 32). To obtain Kelvin (K) readings, use K = (5/9) (F - 32) + 273.15.

PART 1: INTRODUCTION

RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

BARKLEY LOCK AND DAM, LAKE BARKLEY PROJECT AREA

PART 1: INTRODUCTION

This Report

Purpose

This report, prepared as the first in a series of the U. S. Army Engineer Waterways Experiment Station's (WES) Recreational Carrying Capacity Design and Management Study reports, provides selected carrying capacity-related information for the Lake Barkley Project Area which cannot be found in the Technical Report. The information is based upon:

1) the user and management surveys conducted at Lake Barkley, and 2)

Urban Research and Development Corporation's (URDC) observations and perceptions of the situations at the project's study activity areas.

Some observations and suggestions dealing with project area planning, design, and/or management are included, even though they are not specifically carrying capacity related. The report also suggests specific solutions and treatments of specific recreation activity areas.

The report first provides information regarding activity situations, user characteristics, carrying capacity findings, and other findings; it then focuses on selected problem situations and their possible solutions. Although suggestions regarding possible solutions to problems are included, this report is not intended to be a substitute for master planning or to provide answers to all project area capacity problems. Instead, this report should be viewed as a constructive, informative document which points out directions and techniques for consideration by project managers and designers in the near or distant future.

Relationship to Technical Report and Handbook

In addition to this Project Area Report and similar reports on the other ten study project areas,* the overall capacity study effort produced a Technical Report and a Capacity Handbook:

- <u>a.</u> The <u>Technical Report</u> describes the overall study process, reports detailed study findings, and suggests and demonstrates methods and techniques for capacity management.
- b. The <u>Capacity Handbook</u> is a more graphic, "how-to-do-it" type of report, designed to serve as a useful field tool for determining carrying capacity and applying techniques for capacity design and management.

This project area report is different from the Technical Report and Handbook in several ways: it includes information not found in the Technical Report and Capacity Handbook; it reports and examines user survey information by activity area and project area, rather than from the total survey population; it addresses specific problems and examines possible solutions; and it does not include the methodologies for determining and monitoring social and resource capacity. For these reasons, this report is intended to compliment the Technical Report and the Handbook, and is not intended to substitute for them.

Qualifications

The information in this report is based on the Management/Site Survey conducted on November 15-17, 1978 and the User Survey conducted on July 6-9, 1979 by Urban Research and Development Corporation (see Appendix B). The user survey information was collected over a one-weekend period, which may or may not have been representative of a typical or heavy use weekend at Barkley. Interviews were limited at some activity areas because of such factors as lack of users and weather conditions. For these reasons and because carrying capacity analysis is dynamic rather than static, this report is not intended to provide the final answers. Rather, it is a foundation for future analysis and carrying capacity progress.

Market Careen

^{*} See definition of "Study Project Area" in Appendix A for a listing of these project areas.

Summary Project Area Description*

Barkley Lock and Dam** provides flood control, navigation, and hydroelectric power. It is located in a rural area, with Paducah, Kentucky twenty-five miles to the west, Nashville, Tennessee about 100 miles to the southeast, and St. Louis, Missouri about 150 miles to the northwest. Lake Barkley has the largest total project acreage of the survey projects (108,600 acres), the largest normal pool area (57,920 acres), and the longest shoreline (1004 miles). Lake Barkley extends 118 river miles upstream, varying in width from 1/2 to 2-1/2 miles. The topography of the surrounding land varies from gently rolling hills causing a moderately steep shoreline to steep hills causing low bluffs along the shore. The vegetation in the project area also varies: grazing pastures, hay-fields, herbaceous and woody plants, and a variety of forested areas exist. In summer the temperature is in the upper 80's (degrees F), while the averag, annual precipitation is 44 inches of rain and 12 inches of snow.

The project is accessible to both local and regional traffic by a well dispersed system of federal, state, and county highways. A variety of recreation environments exist, with areas ranging from underused to heavily used, well developed with many facilities and services to less developed and close proximity to the lake to far away. The 1978 visitation was 5,395,900 recreation days.

^{*} Appendix C contains a more detailed project area description for your future use.

^{**} See map inside back cover.

[§] A table of factors for converting U. S. customary units of measurement to metric (SI) units is found on page iv.

PART 2: SURVEY FINDINGS BY ACTIVITY

BOATING AND WATERSKIING

Orientation

Boating and waterskiing are popular at Lake Barkley. However, they are limited by the generally shallow depths and, in some parts, submerged objects. Much of the boating activity takes place near the dam, in the many coves, and around the recreation areas (particularly the Canal Area). There are many Corps-operated boat launching ramps on the lake. Other ramps may be found at the seven marinas located in the project area, some of the TVA recreation areas, and other public and private access points.

The remaining findings of this section are based on the User Survey. This survey obtained 7 responses from boaters and waterskiers at Barkley.

User characteristics

Table 1 indicates the characteristics of the boaters and waterskiers surveyed at Lake Barkley. The most significant differences in the characteristics of these recreation sites from those of other study project areas are: 1) the higher incidence of nine or more people in a group; 2) shorter typical trip durations; 3) the very high number of respondents engaged in five to nine activities, but none in less than four; and 4) an absence of sailboaters.

Table 1
Boater and Waterskier Characteristics

| Age <18 18 - 25 26 - 40 41 - 55 56 - 65 >65 | Percent of Boaters/Waterskiers 0 14** 43 29 14* 0 | Group Size 1 2 3 - 4 5 - 8 9 - 12 >12 | Percent of Boaters/Waterskiers 0 0** 57 14 14* 14* |
|--|--|---|--|
| Travel Time to Project Area | Percent of Boaters/Waterskiers | Visit <u>Duration</u> | Percent of Boaters/Waterskiers |
| <15 minutes 15 - 30 minutes 30 - 60 minutes 1 - 2 hours 2 - 3 hours 3 - 5 hours >5 hours | 0 14** 43* 14 14 14 0 | 1 - 4 hours 5 - 8 hours 1 day 2 days 3 days 4 days 5 - 7 days >7 days | 0 ** 0 ** 0 0 0 14 * 43 * |
| No. of Other Activities | Percent of Boaters/Waterskiers | Equipment | Percent of Boaters/Waterskiers |
| 0 1 2 3 4 5 6 | 0** 0** 0** 0 29 43* 14* | Power Boat (<25 h.p.) Power Boat (>25 h.p.) Sailboats Canoe or Row | .16 84 0** boat 0** |

*Significantly higher than total survey sample.

**Significantly lower than total survey sample.

User opinions

<u>Spacing preferences</u> - Tables 2 and 3 indicate the spacing that the boaters and waterskiers surveyed at Barkley and elsewhere prefer.

Table 2
Preferred Distance Responses*

| Sample | Sample Size | Range | Mean | Median | Mode |
|--------------------------|----------------|--------------|------|--------|------|
| All Boaters Surveyed | 135 | 30- a | 531 | 300 | 300 |
| Lake Barkley | 5 | 75-300 | 205 | 200 | 300 |
| All Waterskiers Surveyed | 95 | 30- a | 520 | 300 | 300 |
| Lake Barkley | 2 | 300 | 300 | 300 | 300 |

^{*}In feet; see Appendix A for definitions of terms.

Table 3
Preferred Distance Responses in Planning Range and Preference Groupings*

| Sample | % in Planning | % in A ² | % in B ² | % in C ² |
|---|---------------------------------|---------------------|---------------------|---------------------|
| | Range ¹ (100'-1500') | (100'-199') | (200'-450') | (451'-1500') |
| All Boaters Surveyed | 79% | 29% | 37% | 34% |
| Lake Barkley | 80 | 25 | 75 | 0 |
| Sample | % in Planning | % in A ² | % in B ² | % in C ² |
| | Range ¹ (100'-1500') | (100'-199') | (200'-400') | (401'-1500') |
| All Waterskiers Surveyed Lake Barkley | 91% 100 | 22% 0 | 50% 100 | 28% 0 |

^{*}See Appendix A for definitions of terms; see Technical Report for a full development of spacing preference information.

The variations in the spacing preferences of the boaters and waterskiers surveyed at Barkley from those at the study project areas is due most likely to the small sample sizes at Barkley.

a - response of "alone" or "out of sight."

¹Percentage of all preferred distance responses.

 $^{^{2}}$ Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/unpleasant experience - Table 4 indicates the impact that different factors had on making the boating and waterskiing experience pleasant or unpleasant for users at Barkley. All respondents found the behavior of other users, scenic views, maintenance, enforcement of rules, and condition of grass or soil to be pleasant. Excess noise and incidents of theft and vandalism made the stay unpleasant for about a third of the respondents. No respondent indicated that conditions were so unpleasant that he would not return.

Table 5 indicates the changes in the physical condition of the area reported by boaters and waterskiers from their previous visit. No changes in people's use of the area were reported.

Table 5

Positive and Negative Changes Noticed in the <u>Physical Conditions</u> of the Areas - Items Mentioned by Boaters and Waterskiers

| Area | Positive Changes | | Negative Changes | |
|-------------------------|-----------------------------------|------------|------------------|--|
| Lake and adjacent areas | "Higher water" "New campsites" | (1) (1) | (None mentioned) | |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 4

Reasons Making Recreation Experience Pleasant or Unpleasant--Boating/Waterskiing

Lake Barkley

| Percentage* of Users Respondin | | | | |
|--|----------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons | | | | |
| Characteristics and behavior of other people | 100 | | - | |
| Distance from other people | 86 | 14 | ~ | |
| Number of people in other visitor groups | 86 | 14 | ~ | |
| Number and type of other activities occurring here | 86 | 14 | - | |
| Scenic views | 100 | ~ | - | |
| Noise | 71 | 29 | - | |
| Accidents or near accidents | 57 | 14 | - | |
| Enforcement of rules/regulations | 100 | - | - | |
| Car parking facilities | 86 | 14 | - | |
| Theft | 71 | 29 | - | |
| Vandalism | 71 | 29 | - | |
| Land-Based Reasons | | | | |
| Amount of facilities (restrooms, water, etc.) | 86 | ~ | 14 | |
| Convenience to facilities (restrooms, water, etc.) | 86 | _ | 14 | |
| Maintenance of facilities | 100 | ~ | - | |
| Condition of trees and landscape | 71 | - | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons | - | | | |
| Water quality | 86 | 14 | | |
| Formal designation of places for your activity | 43 | - | 14 | |
| Waiting time to launch boat | 71 | - | - | |
| People in areas they shouldn't be | 71 | - | 14 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 6 indicates the acceptability of different techniques for solving problems to the boaters and waterskiers surveyed at Barkley. The acceptability of techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 10 of the 17 techniques. However, even for those techniques which were acceptable to most respondents, up to 43 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

In general, the more apparent and widespread that a problem of overcrowding or overuse is, the more likely users may accept a technique which addresses it. Thus, remedial techniques (which solve existing problems) are generally more acceptable than preventative techniques (which correct a problem before it becomes readily apparent).

The more users can understand the rationale and operation of a technique, the more likely they will accept the use of the technique. Education, therefore, would seem to be an important method of improving user acceptance of different techniques.

It also seems as though the more directly a technique impacts only the problem, and the less it operates to diminish recreational opportunities generally, the more likely users will accept the use of the technique. Thus, techniques which can be applied in the short-term or selectively to problem areas are favored (particularly if done in a crisis setting).

Techniques which call for reductions in existing opportunities to use recreational resources and facilities are strongly disfavored. User expectations of the opportunities available are critical in this determination. Consideration should be given initially to avoiding overdeveloping an area with the idea that selective cutbacks in services and facilities can be accomplished later. Users expectations will be based on the initial level, and subsequent reductions will be disfavored.

Table 6
User Acceptability of Techniques--Boating/Waterskiing
Lake Barkley

| | Levels of Acceptability | | | |
|---|---------------------------------|----------------------|--------------|--|
| | Percentage* of Users Responding | | | |
| Techniques | Very Acceptable | Mildly Acceptable | Unacceptable | |
| General Planning Techniques | | | | |
| Keep major recreation areas more separated | 43 | 43 | 14 | |
| Make vehicle access to areas less convenient | 14 | - | 86 | |
| Make area's existence less obvious | 14 | 14 | 72 | |
| Site Planning Techniques | | | | |
| Design for greater distance between people | 71 | | | |
| Reduce number of parking spaces | 43 | _ | 57 | |
| Management Techniques | | | | |
| Procedures: | ł | | | |
| Require prior reservations | 14 | 43 | 43 | |
| Require permits | 43 | <u>-</u> | 57 | |
| Charge/increase fees | 29 | 14 | 57 | |
| Rules and Regulations: Impose more rules | 43 | - | 57 | |
| Provide stricter enforcement of rules | 71 | 14 | 14 | |
| Close areas when natural resource destruction reaches critical point | 71 | - | - | |
| Close areas when they become "too full" | 71 | 14 | 14 | |
| Reduce number of activities in same area | 57 | 14 | 29 | |
| Keep unnecessary vehicles out | 71 | 14 | _ | |
| Services: Provide more and better information | 100 | _ | - | |
| Increase maintenance and restoration | 71 | - | - | |
| Reduce facilities and services | 14 | . 71 | - | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT FISHING

Orientation

Boat fishing is popular on the lake and in the tailwater area. The many boat launching ramps make for easy access to the lake from all parts of the project area.

The findings reported in the remainder of this section are based on the User Survey. This survey obtained 17 responses from boat fishermen at Lake Barkley.

User characteristics

Table 7 indicates the characteristics of the boat fishermen surveyed at Lake Barkley. The most significant difference in the characteristics of the boat fishermen at Lake Barkley from those of other study project areas is more of the boat fishermen were at the lake only to fish and few participated in other activities.

Table 7
Boat Fisherman Characteristics

| | Boat Fisherman C | haracteristics | |
|-----------------|------------------|----------------|----------------|
| | Percent of | Group | Percent of |
| <u>Age</u> | Boat Fishermen | Size | Boat Fishermen |
| <18 | 12 | 1 | 6 |
| 18 - 25 | 6 | 2 | 24 |
| 26 - 40 | 29 | 3 - 4 | 53 |
| 41 - 55 | 35 | 5 - 8 | 17 |
| 56 - 65 | 6 | 9 - 12 | 0 |
| >65 | 12 | >12 | 0 |
| Travel Time to | Percent of | Visit | Percent of |
| Project Area | Boat Fishermen | Duration | Boat Fishermen |
| <15 minutes | 0 | 1 - 4 hours | 29 |
| 15 - 30 minutes | 18 | 5 - 8 hours | 18 |
| 30 - 60 minutes | 41 | 1 day | 0 |
| 1 - 2 hours | 35 | 2 days | 29 |
| 2 - 3 hours | 0 | 3 days | 6 |
| 3 - 5 hours | 6 | 4 days | 6 |
| >5 hours | 0 | 5 - 7 days | 6 |
| | | >7 days | 6 |
| No. of Other | Percent of | | Percent of |
| Activities | Boat Fishermen | Equipment | Boat Fishermen |
| 0 | 59* | Power Boat | |
| 1 | 6** | (<25 h.p.) | 33 |
| 2 | 6** | Power Boat | |
| 2 3 4 | 6** | (>25 h.p.) | 66 |
| 4 | 0 | | |
| 5 | 12 | | |
| 6 | 6 | | |
| >6 | 6 | | |

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 8 and 9 indicate the spacing that the boat fishermen surveyed at Lake Barkley and elsewhere prefer.

Table 8 Preferred Distance Responses*

| Sample | Sample Size | Range | Mean | Median | Mode |
|-----------------------------|----------------|-----------|------|----------|------|
| All Boat Fishermen Surveyed | 111 | 30 - 5280 | 555 | 200 | 100 |
| Lake Barkley | 17 | 60 - 5280 | 1890 | 300,2000 | 5300 |

^{*}In feet; See Appendix A for definitions of terms.

Table 9 Preferred Distance Responses in Planning Range and Preference Groupings*

| Sample | % in Planning Range ¹ (50'-1500') | % in A ² (50'-199') | % in B ² (200'-599') | % in C ² (600'-1500') |
|--------------------------------|---|-----------------------------------|------------------------------------|-------------------------------------|
| All Boat Fishermen Surveyed | 91% | 49% | 27% | 24% |
| Lake Barkley | 50 | 57 | 43 | 0 |

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

A significantly high percentage (50%) of boat fishermen expressed a preference for spacing in excess of 1500 feet. All of the responses within the Planning Range were in the closer distance groupings.

¹Percentage of all preferred distance responses .

Percentage of all preferred distance responses in Planning Range.

Reasons for pleasant/unpleasant experience - Table 10 indicates the impact that different factors had on making the boat fishing experience pleasant or unpleasant for users at Lake Barkley. Only the number of people in other visitor groups and people in areas they shouldn't be were unpleasant in a significant number of cases. None of the respondents indicated that they would not return.

Tables 11 and 12 indicate the changes in the physical condition and people's use of the area as reported by boat fishermen from their previous visit.

Table 11

Positive and Negative Changes Noticed in the <u>Physical Conditions</u>
of the Area - Items Mentioned by Boat Fishermen

| Area | Positive Changes | | Negative Changes | |
|-------------------|--------------------------------|-----|------------------|-----|
| Lake and Adjacent | "Improved sites" | (2) | "No fish" | (1) |
| Areas | "Better maintenance" | (1) | "More boats" | (2) |
| | "Improved & better facilities" | (1) | | |
| | "Added ramp" | (2) | | |
| | "Higher water" | (1) | | |
| | "Bigger fish" | (1) | | |
| | | | | |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 12

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Boat Fishermen

| Area | Positive Changes | | Negative Changes | |
|-------------------|-------------------|-----|------------------|-----|
| Lake and Adjacent | "Fewer fishermen" | (1) | "More people" | (2) |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

The second second

Table 10

Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Fishing Lake Barkley

| | Percentage* of Users Responding: | | | |
|--|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons Characteristics and behavior of other people | 100 | - | - | |
| Distance from other people | 94 | 6 | - | |
| Number of people in other visitor groups | 65 | 24 | - | |
| Number and type of other activities occurring here | 94 | - | 6 | |
| Scenic views | 100 | _ | - | |
| Noise | 82 | _ | 18 | |
| Accidents or near accidents | 82 | - | 12 | |
| Enforcement of rules/regulations | 100 | _ | _ | |
| Car parking facilities | 100 | | _ | |
| Theft | 82 | - | - | |
| Vandalism | 82 | - | _ | |
| Land-Based Reasons Visual privacy from other people | 18 | - | 6 | |
| Amount of facilities (restrooms, water, etc.) | 76 | 12 | 12 | |
| Convenience to facilities (restrooms, water, etc.) | 76 | 12 | 12 | |
| Maintenance of facilities | 93 | _ | 7 | |
| Condition of trees and landscape | 43 | - | 7 | |
| Condition of grass or soil | 29 | - | 7 | |
| Water-Based Reasons Water quality | 100 | - | - | |
| Catching fish | 88 | 12 | _ | |
| People in areas they shouldn't be | 65 | 24 | 6 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 13 indicates the acceptability of different techniques for solving problems to the boat fishermen surveyed at Lake Barkley. The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 10 of the 17 techniques. However, even for those techniques which were acceptable to most respondents, up to 43 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 13
User Acceptability of Techniques--Boat Fishing Lake Barkley

| | Levels of Acceptability | | | |
|--|----------------------------------|------------|--------------|--|
| | Percentage* of Users Responding: | | | |
| Techniques | Very | Mildly | Unacceptable | |
| | Acceptable | Acceptable | onacceptable | |
| General Planning Techniques | | | | |
| Keep major recreation areas more separated | 70 | 6 | 24 | |
| Make vehicle access to areas less | | | | |
| convenient | 19 | _ | 81 | |
| | | | | |
| Make area's existence less obvious | 38 | 19 | 43 | |
| Site Planning Techniques | | | | |
| Reduce number of parking spaces | 13 | _ | 63 | |
| tanana a tanana akaca | ļ | | | |
| Management Techniques | | | | |
| Procedures: | | į | | |
| Require prior reservations | 6 | 44 | 50 | |
| | | | | |
| Require permits | 13 | 13 | 74 | |
| | 19 | _ | 01 | |
| Charge/increase fees | 19 | _ | 81 | |
| Pulse and Regulations: | | | | |
| Rules and Regulations: Impose more rules | _ | 13 | 87 | |
| Impose more rules | | | | |
| Provide stricter enforcement of rules | 19 | 19 | 63 | |
| Close areas when natural resource | 50 | 13 | 25 | |
| destruction reaches critical point | 30 | 15 | 23 | |
| Close areas when they become "too full" | 38 | б | 50 | |
| Close areas when they become too full | | | | |
| Reduce number of activities in same area | 46 | _ | 33 | |
| neddod namet of delivities in dane with | | | | |
| Limit number of people in visitor groups | 18 | - | 72 | |
| | | | | |
| Keep unnecessary vehicles out | 25 | 6 | 56 | |
| Services: | | | | |
| Provide more and better information | 94 | _ | 6 | |
| | | ^, | | |
| Increase maintenance and restoration | 44 | 31 | 13 | |
| Reduce facilities and services | 6 | 6 | 69 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT LAUNCHING

Orientation

Boat access to Lake Barkley is good from the many well-distributed boat launching ramps. The Corps of Engineers operates over 30 launching ramps, the majority of which are paved and range from one to four lanes in width. Parking is adequate at most ramps. Some launching areas have courtesy docks and restrooms. A few ramps are less than 1/4 mile from a main road, but most are at recreation areas which are from one to five miles from a main road. In addition to the Corps ramps, there are numerous others at Tennessee Valley Authority and other public and private access areas. There are also seven concessionaire marinas operating on the lake.

The findings in the remainder of this section are based on the User Survey. This survey obtained 10 responses from boat launchers at Eureka and the tailwater area.

ALCOHOL: SAN

User characteristics

Table 14 indicates the characteristics of the boat launchers surveyed at Barkley.

Table 14

| | Boat Launcher | Characteristics | |
|-----------------|------------------------------|----------------------|------------------------------|
| Age | Percent of Boat Launchers | Group <u>Size</u> | Percent of Boat Launchers |
| <18 | 0 | 1 | 10 |
| 18 - 25 | 10 | 2 | 50 |
| 26 - 40 | 40 | 3 - 4 | 40 |
| 41 - 55 | 50 | 5 - 8 | 0 |
| 56 - 65 | 0 | 9 - 12 | 0 |
| >65 | 0 | >12 | 0 |
| Travel Time to | Percent of | Visit | Percent of |
| Project Area | Boat Launchers | Duration | Boat Launchers |
| <15 minutes | 0 | 1 - 4 hours | 40 |
| 15 - 30 minutes | 30 | 5 - 8 hours | 40 |
| 30 - 60 minutes | 50 | 1 day | 0 |
| 1 - 2 hours | 20 | 2 days | 20 |
| 2 - 3 hours | 0 | 3 days | 0 |
| 3 - 5 hours | 0 | 4 days | 0 |
| >5 hours | 0 | 5 - 7 days | 0 |
| | | >7 days | 0 |
| No. of Other | Percent of | | |

| No. of Other Activities | Percent of Boat Launchers |
|-------------------------|------------------------------|
| 0 | 80 |
| 1 | 10 |
| 2 | 0 |
| 3 | 0 |
| 4 | 10 |
| 5 | 0 |
| 6 | 0 |
| >6 | 0 |

User opinions

<u>Preferred launch times</u> - The launch times that boat launchers prefer ranged from 0-10 minutes and averaged 5 minutes.

Reasons for pleasant/unpleasant experience - Tables 15 and 16 indicate the impact that different factors had on making the boat launching experience pleasant or unpleasant for users at the two areas surveyed.

Most boat launchers at the two ramps found their experience to be generally pleasant. The amount and convenience of facilities at Eureka were the only factors which users found unpleasant in a significant number of cases. None of the respondents found their experience so unpleasant that they said they would not return. None of the respondents reported any changes from their previous visit in the physical condition or people's use of the two areas.

Table 15

Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Launching
Eureka

| | Percentage* of Users Responding: | | | |
|--|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons | | | | |
| Characteristics and behavior of other people | 100 | ļ <u>-</u> | | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 33 | - | 67 | |
| Number and type of other activities occurring here | 67 | - | 33 | |
| Scenic views | 100 | - | - | |
| Noise | 33 | | 67 | |
| Accidents or near accidents | 100 | - | - | |
| Enforcement of rules/regulations | 100 | - | - | |
| Car parking facilities | 100 | _ | _ | |
| Theft | - | - | 100 | |
| Vandalism | - | - | 100 | |
| Land-Based Reasons | | | | |
| Amount of facilities (restrooms, water, etc.) | 33 | 67 | - | |
| Convenience to facilities (restrooms, water, etc.) | 33 | 67 | | |
| Steepness of slopes | 100 | | | |
| Maintenance of facilities | 100 | - | - | |
| Condition of trees and landscape | , | _ | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons Water quality | 100 | | | |
| Formal designation of places for your activity | - | - | 33 | |
| Waiting time to launch boat | 100 | - | _ | |
| People in areas they shouldn't be | _ | - | 33 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 16
Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Launching
Tailwater

| _ | Percentage* of Users Responding: | | | |
|---|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons |] | | | |
| Characteristics and behavior of other people | 100 | <u> </u> | | |
| Distance from other people | 100 | - | _ | |
| Number of people in other visitor groups | 86 | _ | _ | |
| Number and type of other activities occurring here | 86 | - | 14 | |
| Scenic views | 14 | - | 71 | |
| Noise | 57 | - | 28 | |
| Accidents or near accidents | 43 | 14 | 43 | |
| Enforcement of rules/regulations | 100 | - | - | |
| Car parking facilities | 100 | - | - | |
| Theft | 57 | ~ | 14 | |
| Vandalism | 71 | - | 14 | |
| Land-Based Reasons | 26 | ., | | |
| Amount of facilities (restrooms, water, etc.) Convenience to facilities (restrooms, water, | 86 | 14 | | |
| etc.) | 86 | 14 | | |
| Steepness of slopes | 100 | - | - | |
| Maintenance of facilities | 100 | ~ | - | |
| Condition of trees and landscape | 100 | - | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons Water quality | 100 | | _ | |
| Formal designation of places for your activity | 57 | - | 29 | |
| Waiting time to launch boat | 100 | - | - | |
| People in areas they shouldn't be | 71 | ~ | 14 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 17 indicates the acceptability of different techniques for solving problems to the boat launchers surveyed at Barkley. The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 15 of the 19 techniques. However, even for those techniques which were acceptable to most respondents, up to 40 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 17
User Acceptability of Techniques--Boat Launching
Lake Barkley

| | Levels of Acceptability | | |
|--|----------------------------------|------------|--------------|
| Techniques | Percentage* of Users Responding: | | |
| | Verv | Mildly | Unacceptable |
| | Acceptable | Acceptable | onacceptable |
| General Planning Techniques | | | |
| Keep major recreation areas more separated | 10 | 40 | 40 |
| Make vehicle access to areas less | · | | 100 |
| convenient | - | _ | 100 |
| Make area's existence less obvious | - | 20 | 80 |
| Site Planning Techniques | | | |
| Redesign area to accommodate fewer users | - | | 100 |
| Design for greater distance between people | 10 | 50 | 40 |
| Reduce number of parking spaces | _ | 10 | 90 |
| Management Techniques | | | |
| Procedures: | | | |
| Require prior reservations | - | - | 70 |
| Require permits | - | 1.0 | 90 |
| Charge/increase fees | - | 20 | 80 |
| Rules and Regulations: | | | |
| Impose more rules | | 10 | 90 |
| | | | |
| Provide stricter enforcement of rules | _ | 60 | 40 |
| Close areas when natural resource | 50 | 30 | _ |
| destruction reaches critical point | .70 | .50 | |
| Close areas when they become "too full" | - | 3 0 | 70 |
| Reduce number of activities in same area | - | 40 | 40 |
| Limit number of people in visitor groups | - | 10 | 70 |
| Keep unnecessary vehicles out | _ | 70 | 20 |
| | | | |
| Services: | | 1 | 1.5 |
| Provide more and better information | 60 | 20 | 10 |
| Increase maintenance and restoration | 80 | 10 | |
| Reduce facilities and services | _ | - | 100 |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

CAMPING

Orientation

Sixteen camping areas at Lake Barkley provide a diversity of campsite types, accommodating a variety of camping styles. Camping is permitted only at designated sites and campsites are limited to two camping units.

Only two of the campgrounds are fee areas with control stations and only one of these has electric hookups. Most have boat ramps and dumping stations in the recreation area. The number of sites in each campground range from less than 20 to more than 100. Most of the sites require a short walk to the shoreline, although some are located on the lake edge. Campers may also choose from a wide selection of vegetation conditions.

The State of Kentucky and the Tennessee Valley Authority provide additional camping near the project area.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 53 responses from campers at the Canal, Eureka, and Grand Rivers campgrounds.

User characteristics

Table 18 indicates the characteristics of the campers surveyed at Barkley. The most significant difference in the characteristics of the campers at Barkley from those of other study project areas is the relatively large number of camping groups of nine or more people per group.

Table 18
Camper Characteristics

| | Camper Char | acteristics | |
|-----------------|-----------------------|-----------------|-----------------------|
| Age | Percent of Campers | Group Size | Percent of Campers |
| <18 | 0 | 1 | 0 |
| 18 - 25 | 9 | 2 | 21 |
| 26 - 40 | 57 | 3 ~ 4 | 43 |
| 41 - 55 | 23 | 5 - 8 | 19 |
| 56 - 65 | 11 | 9 - 12 | 9* |
| >65 | 0 | >12 | 8* |
| Travel Time to | Percent of | Visit | Percent of |
| Project Area | Campers | Duration | Campers_ |
| <15 minutes | 2 | 1 - 4 hours | 0 |
| 15 - 30 minutes | 8 | 5 - 8 hours | 0 |
| 30 - 60 minutes | 38 | l day | 0 |
| 1 - 2 hours | 30 | 2 days | 21 |
| 2 - 3 hours | 13 | 3 days | 19 |
| 3 - 5 hours | 4 | 4 days | 8 |
| >5 hours | 6 | 5 - 7 days | 23 |
| | | >7 days | 30 |
| No. of Other | Percent of | | Percent of |
| Activities | Campers | Equipment | Campers |
| 0 | 6 | Tent | 32 |
| i | 6** | Tent Camper | 10 |
| 2 | 15 | Truck Mounted C | amper 8 |
| 3 | 17 | Travel Trailer | 42 |
| 4 | 21 | Van | 2 |
| | 13 | Motor Home | 6 |
| 5 6 | 19 | | |
| >6 | 4 | | |

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

<u>Spacing preferences</u> - Tables 19 and 20 indicate the spacing (as measured on center of each site) that campers surveyed at Barkley and elsewhere prefer.

Table 19
Preferred Distance Responses* - Camping

| Sample | Sample Size | Range | Mean | Median | Mode |
|------------------------------------|----------------|---------------------------|---------------|------------------|---------------|
| All Campers Surveyed (11 projects) | 511 | 10 - a | 79 | 60 | 75 |
| Barkley | 53 | 25 - 300 | 72 | 75 | 50 |
| Canal Eureka Grand Rivers | 22 22 - | 25 - 120 40 - 300 - | 64 80 - | 60 60-70 - | 75 50 - |

in feet; See Appendix A for definitions of terms.
a - response of "alone" or "out of sight."

Table 20
Preferred Distance Responses in Planning Range and
Preference Groupings*

| Sample | % in Planning Range ¹ (20'-120') | % in A ² (20'-39') | % in B ² (40'-59') | % in C ² (60'-79') | % in D ² (80'-120') |
|---------------------------------|--|-------------------------------|----------------------------------|----------------------------------|-----------------------------------|
| All Campers Surveyed | 90% | 20% | 28% | 31% | 21% |
| Barkley | 98 | 2 | 34 | 37 | 27 |
| Canal Eureka Grand Rivers | 100 95 - | 5 0 ~ | 30 38 - | 55 19 - | 10 43 - |

^{*}See Appendix A for definitions of terms; See Technical Report for full developlment of spacing preference information.

Campers at Barkley greatly disfavor spacing in the group A range.

There are also significant differences in the preferences of campers at

the individual campgrounds for spacing groups B, C, and D.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses within the Planning Range.

Reasons for pleasant/unpleasant experience - Tables 21, 22, and 23 indicate the impact that different factors had on making the camping experience pleasant or unpleasant for users surveyed at the three camping areas. The responses of the campers surveyed vary somewhat from one campground to another, but campers at all three areas found their experience to be generally pleasant.

The amount of facilities at Canal and the amount/convenience of facilities at Eureka were unpleasant in a significant number of cases. The distance from other people and number of people in other groups were also unpleasant in a significant number of cases at Canal. Noise was a significant problem at Grand Rivers. Only one camper (at the Canal area) stated that he would not return (because of unclean bathrooms).

Tables 24 and 25 indicate the changes in the physical condition and people's use of the camping areas reported by campers from their previous visit.

 ${\it Table-21}$ Reasons Making Recreation Experience Pleasant or Unpleasant--Camping ${\it Canal}$

| | Percentage* of Users Responding: | | | |
|---|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons | ٥٢ | | | |
| Characteristics and behavior of other people | 95 | - | 5 | |
| Distance from other people | 86 | 14 | - | |
| Number of people in other visite, groups | 86 | 14 | - | |
| Number and type of other activities occurring here | 90 | 5 | 5 | |
| Fees charged | 100 | - | - | |
| Scenic views | 100 | | - | |
| Noise | 100 | - | - | |
| Accidents or near accidents | 82 | - | 14 | |
| Enforcement of rules/regulations | 95 | 5 | - | |
| Car parking facilities | 95 | 5 | - | |
| Theft | 82 | - | 3 | |
| Vandalism | 82 | - | 5 | |
| Land-Based Reasons Visual privacy from other people | 95 | 5 | - | |
| Amount of facilities (restrooms, water, etc.) | 73 | 23 | 4 | |
| Convenience to facilities (restrooms, water, etc.) | 86 | 9 | 5 | |
| Nearness to the water body | 95 | 5 | - | |
| Steepness of slopes | 91 | 9 | - | |
| Maintenance of facilities | 100 | - | - | |
| Condition of trees and landscape | 100 | - | | |
| Condition of grass or soil | 100 | _ | | |
| Water-Based Reasons | | | | |
| Water quality | 91 | 5 | - | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 22

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping Eureka

| | Percentage* of Users Responding: | | | |
|--|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons Characteristics and behavior of other people | 95 | - | 5 | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 50 | 5 | 41 | |
| Number and type of other activities occurring here | 82 | 5 | 9 | |
| Fees charged | 5 | - | 10 | |
| Scenic views | 100 | _ | - | |
| Noise | 18 | - | 41 | |
| Accidents or near accidents | - | 10 | 37 | |
| Enforcement of rules/regulations | 57 | - | 28 | |
| Car parking facilities | 90 | 5 | 5 | |
| Theft | - | _ | 38 | |
| Vandalism | - | 5 | 36 | |
| Land-Based Reasons Visual privacy from other people | 86 | - | 14 | |
| Amount of facilities (restrooms, water, etc.) | 86 | 14 | - | |
| Convenience to facilities (restrooms, water, etc.) | 82 | 18 | - | |
| Nearness to the water body | 100 | _ | - | |
| Steepness of slopes | 86 | 9 | 5 | |
| Maintenance of facilities | 100 | - | - | |
| Condition of trees and landscape | 100 | - | _ | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons | | | | |
| Water quality | 95 | - | 5 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 23
Reasons Making Recreation Experience Pleasant or Unpleasant--Camping
Grand Rivers

| | Percentage* of Users Responding: | | | |
|--|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons Characteristics and behavior of other people | 100 | | - | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 89 | _ | 11 | |
| Number and type of other activities occurring here | 100 | _ | - | |
| Fees charged | - | _ | - | |
| Scenic views | 100 | _ | - | |
| Noise | 78 | 22 | | |
| Accidents or near accidents | 100 | _ | | |
| Enforcement of rules/regulations | 89 | 11 | - | |
| Car parking facilities | 100 | _ | - | |
| Theft | 100 | - | - | |
| Vandalism | 100 | _ | - | |
| Land-Based Reasons Visual privacy from other people | 100 | _ | _ | |
| Amount of facilities (restrooms, water, etc.) | 100 | - | - | |
| Convenience to facilities (restrooms, water, etc.) | 100 | _ | - | |
| Nearness to the water body | 100 | - | - | |
| Steepness of slopes | 100 | | - | |
| Maintenance of facilities | 100 | - | - | |
| Condition of trees and landscape | 100 | - | - | |
| Condition of grass or soil | 89 | 11 | - | |
| Water-Based Reasons | | | | |
| Water quality | 89 | - | - | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 24

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Campers

| Area | Positive Changes | | Negative Changes | |
|---------------------|--|---|--|-------------------|
| Canal | "Improvements to sites" "More sites" "Playground added" "Better bathrooms" | (7) (1) (1) (1) | "Not as clean" | (1) |
| Eureka | "New bathroom-shower building" "Cleaner area" "Improvements to sites" | (18) (5) (5) | "Need water hydrant" "Rock rip-rap around tables" "Fluctuation of lake | (3) |
| Grand Rivers | "Lawn mowed" "New grills" "Rock rip-rap around tables" "Cleaner" "Bathhouse" "Better bathrooms" "Better maintenance" | (2) (2) (1) (2) (1) (1) (1) | level" "Lack of beach area" "Need more tables" "Potholes" | (1) (1) (1) |

Table 25

Positive and Negative Changes Noticed in the <u>People's Use</u> of the Area - Items Mentioned by Campers

| Area | Positive Changes | | Negative Changes |
|--------------|--|------------|---|
| Canal | 'Better people' 'Less trash" | (1) (1) | "Should eliminate pets and dogs" (1) |
| Eureka | 'Area is cleaner" 'People not littering as much" | | "More people than in past"(3) "Starting to get crowded"(1) "Too many people since bathhouse put in" (1) |
| Grand Rivers | (None mentioned) | | (None mentioned) |

Acceptability of techniques - Table 26 indicates the acceptability of different techniques for solving problems to the campers surveyed at Barkley. The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 12 of the 22 techniques. However, even for those techniques which were acceptable to most respondents, up to 43 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 26
User Acceptability of Techniques--Camping
Lake Barkley

| | Levels of Acceptability Percentage* of Users Responding: | | | | |
|--|--|----------------------|--------------|--|--|
| Tarketan | | | esponding: | | |
| Techniques | Very <u>Acceptable</u> | Mildly Acceptable | Unacceptable | | |
| General Planning Techniques | | песерешиге | | | |
| Keep major recreation areas more separated | 55 | 21 | 17 | | |
| Make vehicle access to areas less convenient | 13 | 8 | 7′ | | |
| Make area's existence loss obvious | 9 | 9 | 79 | | |
| Site Planning Techniques Redesign area to accommodate fewer users | 42 | 21 | 36 | | |
| Design for greater distance between people | 58 | 15 | 25 | | |
| Reduce number of parking spaces | 23 | 23 | 51 | | |
| Change natural surface by hardening | 21 | 34 | 43 | | |
| Change natural surface by paving | 77 | 13 | 9 | | |
| Provide landscaped buffers | 30 | 11 | 47 | | |
| Management Techniques | | | | | |
| Procedures: | | | | | |
| Require prior reservations | 11 | 25 | 64 | | |
| Require permits | 43 | 19 | 36 | | |
| Charge/increase fees | 21 | 19 | 58 | | |
| Rules and Regulations: | | | | | |
| Impose more rules | 15 | 8 | 77 | | |
| Provide stricter enforcement of rules | 34 | 34 | 21 | | |
| Close areas when natural resource destruction reaches critical point | 96 | 4 | _ | | |
| Close areas when they become "too full" | 79 | 11 | 9 | | |
| Reduce number of activities in same area | 30 | ?5 | 36 | | |
| Limit number of people in visitor groups | 19 | 6 | 72 | | |
| Keep unnecessary vehicles out | 70 | 23 | , | | |
| Services: Provide more and better information | 74 | 19 | 4 | | |
| Increase maintenance and responsation | 86 | 10 | 4 | | |
| Reduce facilities and services | 8 | 19 | 73 | | |

^{*}Percentages may not to at 100% because of those responding "Does Not Apply."

PICNICKING

Orientation

Of the several picnic areas, Kuttawa is the most developed and popular, receiving heavy use on weekends.

There are two picnic areas at Kuttawa: one is situated adjacent to the beach, partially sharing the area used primarily by sunbathers, the other is located away from the beach in a wooded area adjacent to a nature trail.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 12 responses from picnickers at Kuttawa and Grand Rivers.

User characteristics

Table 27 indicates the characteristics of the picnickers surveyed at Barkley. The most significant differences in the characteristics of the users surveyed at Barkley from those of other study project areas are: 1) picnickers at Barkley are younger; 2) had shorter travel times, and 3) participate in fewer other activities.

Table 27
Picnicker Characteristics

| <u>Age</u> | Percent of Picnickers | Group Size | Percent of Picnickers |
|--|---------------------------------|---|-----------------------------------|
| <18 | 17* | 1 | 0 |
| 18 - 25 | 67* | 2 | 25* |
| 26 - 40 | 17** | 3 - 4 | 25** |
| 41 - 55 | 0 | 5 - 8 | 42* |
| 56 - 65 | 0 | 9 - 12 | 8 |
| >65 | 0 | >12 | 0 |
| Travel Time to Project Area | Percent of Picnickers | Visit <u>Duration</u> | Percent of Picnickers |
| <15 minutes 15 - 30 minutes 30 - 60 minutes 1 - 2 hours 2 - 3 hours 3 - 5 hours >5 hours | 8 33 50* 8** 0 0 | 1 - 4 hours 5 - 8 hours 1 day 2 days 3 days 4 days 5 - 7 days >7 days | 75 25 0 0 0 0 0 |

| No. of Other Activities | Percent of Picnickers |
|-------------------------|-----------------------|
| 0 | 50* |
| ' 1 | 25* |
| 2 | 8** |
| 3 | 8** |
| 4 | 0 |
| 5 | 8 |
| 6 | . 0 |
| >6 | 0 |

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 28 and 29 indicate the spacing that picnickers surveyed at Barkley and elsewhere prefer.

Table 28 Preferred Distance Responses*

| Sample | Sample Size | Range | Mean | Median | Mode |
|-------------------------|----------------|----------------|-----------|-----------|--------------|
| All Picnickers Surveyed | 190 | 1 a | 62 | 50 | 50 |
| Lake Barkley | 12 | 40 -100 | 65 | 75 | 40,70 |
| Kuttawa Grand Rivers | 11 | 40 +100 100 | 61 100 | 50 100 | 40,70 100 |

^{*}In feet; See Appendix A for definitions of terms.

Table 29 Preferred Distance Responses in Planning Range and Preference Groupings*

| Sample | % in Planning Range ¹ (20'-100') | % in A ² (20'-39') | % in B2 (40'-59') | % in C ² (60'-79') | % in D ² (80'-100') |
|----------------------------|--|-------------------------------|----------------------|-------------------------------|--------------------------------|
| All Picnickers surveyed | 93% | 23% | 42% | 20% | 15% |
| Lake Barkley | 100 | 0 | 46 | 36 | 18 |
| Kuttawa Grand Rivers | 100 100 | 0 0 | 50 0 | 40 0 | 10 100 |

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Most picnickers at Kuttawa preferred group B and C spacing, and greatly disfavored group A spacing.

a - response of "alone" or "out of sight."

 $^{^{1}}_{2}$ Percentage of all preferred distance responses. Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/unpleasant experience - Table 30 indicates the impact that different factors had on making the picnicking experience pleasant or unpleasant for users surveyed at Kuttawa. Convenience to facilities and scenic views were unpleasant in a significant number of cases. The users surveyed at Grand Rivers indicated that the amount/location of facilities were the only unpleasant factors. No user responded that he would not return.

Tables 31 and 32 indicate the changes in the physical condition and people's use of the areas reported by picnickers from their previous visit.

Table 31

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Picnickers

| Area | Positive Changes | | Negative Changes | |
|--------------|---|-----|--|-------------------|
| Kuttawa | "Area is cleaner" "Bathrooms" "Sand on beach" | (1) | "Trees and brush grown, can't see lake" "Higher water" | now (1) (1) |
| Grand Rivers | (None mentioned) | | (None mentioned) | |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 32

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Picnickers

| Positive Chang | es | Negative Changes |
|--------------------|-----------------------------------|------------------------------|
| 'More maintenance" | (2) | "Used to have lifeguards"(1) |
| 'Cleaner area" | (1) | |
| (None mentioned) | | (None mentioned) |
| | "More maintenance" "Cleaner area" | "Cleaner area" (1) |

Table 30

Reasons Making Recreation Experience Pleasant or Unpleasant--Picnicking
Kuttawa

| | Percentage* of Users Respondi | | |
|--|-------------------------------|------------|------------------|
| | Pleasant | Unpleasant | Not Important |
| General Reasons Characteristics and behavior of other people | 91 | - | 9 |
| Distance from other people | 91 | - | 9 |
| Number of people in other visitor groups | 64 | - | 36 |
| Number and type of other activities occurring here | 73 | - | 27 |
| Scenic views | 82 | 18 | ~ |
| Noise | 82 | 9 | 9 |
| Accidents or near accidents | 45 | - | 9 |
| Enforcement of rules/regulations | 73 | - | 27 |
| Car parking facilities | 100 | - | - |
| Theft | 45 | - | 9 |
| Vandulism | 45 | - | 9 |
| Land-Based Reasons Visual privacy from other people | 91 | 9 | - |
| Amount of facilities (restrooms, water, etc.) | 100 | _ | _ |
| Convenience to facilities (restrooms, water, etc.) | 64 | 36 | - |
| Nearness to the water body | 100 | - | - |
| Steepness of slopes | 100 | - | - |
| Maintenance of facilities | 100 | - | - |
| Condition of trees and landscape | 91 | 9 | - |
| Condition of grass or soil | 100 | - | - |
| Water-Based Reasons Water quality | 82 | 9 | 9 |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 33 indicates the acceptability of different techniques for solving problems to the picnickers surveyed at Barkley. The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 16 of the 22 techniques. However, even for those techniques which were acceptable to most respondents, up to 41 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 33
User Acceptability of Techniques--Picnicking
Lake Barkley

| Lake barkte | | | L 4 1 4 A | |
|--|--|--------------|--------------|--|
| | Levels of Acceptability Percentage* of Users Responding: | | | |
| Techniques | Very | Mildly | 1 | |
| reemaques | | Acceptable | Unacceptable | |
| | Acceptable | Acceptable | | |
| General Planning Techniques | | | | |
| Keep major recreation areas more separated | 25 | 17 | 58 | |
| Make vehicle access to areas less | 17 | <u> </u> | 83 | |
| convenient | | | | |
| Make area's existence less obvious | 8 | 17 | 67 | |
| Sit. Di naina Tachniquas | | | | |
| Site Planning Techniques | 17 | } | 83 | |
| Redesign area to accommodate fewer users | 1/ | | 83 | |
| Design for greater distance between people | 33 | 8 | 58 | |
| Reduce number of parking spaces | 17 | 8 | 75 | |
| Change natural surface by paving | 17 | 17 | 67 | |
| Provide landscaped buffers | 33 | _ | 58 | |
| Management Techniques | | | | |
| Procedures: | | | 1 | |
| Require prior reservations | _ | _ | 100 | |
| Require prior reservations | | | 100 | |
| Require permits | _ | - | 100 | |
| Charge/increase fees | 8 | 8 | 75 | |
| Rules and Regulations: | | | | |
| Impose more rules | 17 | 8 | 75 | |
| | | † | | |
| Provide stricter enforcement of rules | 25 | 50 | 17 | |
| Close areas when natural rescurce | | | | |
| destruction reaches critical point | 91 | - | 9 | |
| | | | | |
| Close areas when they become "too full" | 41 | 17 | 41 | |
| Reduce number of activities in seam area | 17 | 17 | 67 | |
| Limit number of people in visitor groups | - | _ | 100 | |
| Keep unnecessary vehicles out | 67 | 17 | 17 | |
| Services: | | | | |
| Provide more and better information | 42 | 25 | | |
| Increase maintenance and restoration | 83 | - | 17 | |
| Reduce facilities and services | - | - | 100 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

SHORELINE FISHING

Orientation

While opportunities for shoreline fishing exist at all recreation areas at Lake Barkley, the outlet is the only area having facilities specifically for shoreline fishermen. Developments such as paved parking, restrooms, and concrete steps and walks have all been installed at the outlet for the convenience of shoreline fishermen.

The findings in the remainder of this section are based on the User Survey. This survey obtained 7 responses from shoreline fishermen at Grand Rivers and the Outlet.

User characteristics

Table 34 indicates the characteristics of the shoreline fishermen surveyed at Barkley. The most significant differences in the characteristics of the respondents at Barkley from those of other study project areas are: 1) there were fewer people under 25, and 2) more fishermen were engaged in other activities.

Table 34
Shoreline Fishermen Characteristics

| Age | Percent of Shoreline Fishermen | Group Size | Percent of Shoreline Fishermen |
|---------|--------------------------------|---------------|--------------------------------|
| <18 | 0 | 1 | 14 |
| 18 - 25 | 0** | 2 | 43 |
| 26 - 40 | 43 | 3 - 4 | 29 |
| 41 - 55 | 43 | 5 - 8 | 14 |
| 56 - 65 | 14 | 9 - 12 | 0 |
| >65 | 0 | >12 | 0 |

| Travel Time to Project Area | Percent of Shoreline Fishermen | Visit Duration | Percent of Shoreline Fishermen |
|--------------------------------|--------------------------------|-------------------|--------------------------------|
| <15 minutes | 0 | 1 - 4 hours | 0 |
| 15 - 30 minutes | 14 | 5 - 8 hours | 14 |
| 30 - 60 minutes | 43 | 1 day | 0 |
| 1 - 2 hours | 14 | 2 days | 14 |
| 2 - 3 hours | 29 | 3 days | 29 |
| 3 - 5 hours | 0 | 4 days | 0 |
| >5 hours | 0 | 5 - 7 days | 14 |
| | | >7 days | 29 |

| No. of Other Activities | Percent of Shoreline Fishermen |
|-------------------------|--------------------------------|
| 0 | 29** |
| 1 | 29* |
| 2 | 14 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 28* |
| >6 | 0 |

^{*}Significantly higher than total survey sample.

**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 35 and 36 indicate the spacing that shoreline fishermen at Barkley and elsewhere prefer.

Table 35 Preferred Distance Responses*

| Sample | Sample Size | Range | Mean | Median | Mode |
|----------------------------------|----------------|--------------------|----------|-------------|-------------|
| All shoreline fishermen surveyed | 106 | 6 - a | 76 | 35 | 50 |
| Lake Barkley | 7 | 50 - 75 | 53 | 50 | 50,75 |
| Grand Rivers Outlet | 2 5 | 60 - 75 50 - 75 | 68 58 | 60,75 50 | 60,75 50 |

*In feet; See Appendix A for definitions of terms.

a - response of "alone" or "out of sight."

Table 36 Preferred Distance Responses in Planning Range and Preference Groupings*

| Sample | % in Planning Range ¹ (10'-100') | % in A ² (10'-19') | % in B ² (20'-39') | % in C ² (40'-59') | % in D ² (60'-100') |
|---------------------------------------|--|-------------------------------|-------------------------------|----------------------------------|-----------------------------------|
| All Shoreline Fisher- men surveyed | 83% | 20 & | 38% | 24% | 18% |
| Lake Barkley | 100 | 17 | 0 | 33 | 50 |
| Grand Rivers Outlet | 100 100 | 0 2 5 | 0 0 | 0 50 | 100 25 |

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

The shoreline fishermen surveyed at Barkley tend to prefer greater spacing more frequently than those surveyed at other project areas.

Alexander and the second

 $[\]begin{array}{c} 1\\ 2\\ \text{Percentage of all preferred distance responses.} \end{array}$ Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/unpleasant experience - Tables 37 and 38 indicate the impact that different factors had on making the shoreline fishing experience pleasant or unpleasant for users at the two areas surveyed. The responses vary only slightly between the two areas. Users at both areas found their experience to be pleasant. The only factor which was unpleasant in a significant number of cases was "catching fish" at Grand Rivers. None of the fishermen interviewed said they would not return.

Tables 39 and 40 indicate the changes in the physical condition and people's use of the areas reported by shoreline fishermen from their previous visit.

A STATE CONTRACTOR MANAGEMENT

Table 37
Reasons Making Recreation Experience Pleasant or Unpleasant--Shoreline Fishing Grand Rivers

| | Percentage* of Users Responding: | | | |
|---|----------------------------------|--------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons | | | | |
| Characteristics and behavior of other people | 100 | | | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 100 | - | - | |
| Number and type of other activities occurring here | 100 | - | - | |
| Scenic views | 100 | _ | - | |
| Noise | 100 | - | - | |
| Accidents or near accidents | 50 | 50 | - | |
| Enforcement of rules/regulations | 100 | _ | - | |
| Car parking facilities | 100 | - | - | |
| Theft | 100 | - | - | |
| Vandal1sm | 100 | - | _ | |
| Land-Based Reasons Visual privacy from other people | 100 | - | - | |
| Amount of facilities (restrooms, water, etc.) | 100 | - | - | |
| Convenience to facilities (restrooms, water, etc.) | 50 | 50 | - | |
| Nearness to the water body | 100 | _ | - | |
| Steepness of slopes | 100 | - | - | |
| Maintenance of facilities | 100 | - | _ | |
| Condition of trees and landscape | 100 | _ | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons Water quality | 100 | - | - | |
| Catching fish | - | 100 | - | |
| Formal designation of places for your activity | 50 | 50 | _ | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 38

Reasons Making Recreation Experience Pleasant or Unpleasant--Shoreline Fishing Outlet

| | Percentage* of Users Responding: | | | |
|---|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons | | | | |
| Characteristics and behavior of other people | 100 | | | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 100 | - | _ | |
| Number and type of other activities occurring here | 100 | - | - | |
| Scenic views | 100 | - | | |
| Noise | 100 | - | - | |
| Accidents or near accidents | 100 | - | _ | |
| Enforcement of rules/regulations | 100 | - | - | |
| Car parking facilities | 100 | _ | - | |
| Theft | 100 | - | - | |
| Vandalism | 100 | - | - | |
| Land-Based Reasons Visual privacy from other people | 100 | - | - | |
| Amount of facilities (restrooms, water, etc.) | 100 | _ | - | |
| Convenience to facilities (restrooms, water, etc.) | 100 | - | - | |
| Nearness to the water body | 100 | - | - | |
| Steepness of slopes | 100 | - | - | |
| Maintenance of facilities | 80 | 20 | - | |
| Condition of trees and landscape | 100 | - | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons Water quality | 100 | - | - | |
| Catching fish | 100 | - | _ | |
| Formal designation of places for your activity | 100 | _ | - | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 39

Positive and Negative Changes Noticed in the <u>Physical Conditions</u>
of the Area - Items Mentioned by Shoreline Fishermen

| Area | Positive Change | S | Negative Changes |
|--------------|------------------|-----|------------------|
| Grand Rivers | "Cleaner area" | (1) | (None mentioned) |
| Outlet | "Signs" | (1) | (None mentioned) |
| | "New facilities" | (1) | |
| | | | |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 40

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Shoreline Fishermen

| Area | Positive Changes | Negative Changes |
|------------------------|--|------------------|
| Grand Rivers Outlet | (None mentioned) "Friendlier people" (1) "Fewer people than when dam (first) opened" (1) | (None mentioned) |

Acceptability of techniques - Table 41 indicates the acceptability of different techniques to the shoreline fishermen surveyed at Barkley. The acceptability of many techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 11 of the 22 techniques. However, even for those techniques which were acceptable to most respondents, up to 43 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 41
User Acceptability of Techniques--Shoreline Fishermen
Lake Barkley

| | Levels of Acceptability | | | |
|--|----------------------------------|-------------------|---------------|--|
| | Percentage* of Users Responding: | | | |
| Techniques | Very | Mildly | Unacceptable | |
| | Acceptable | <u>Acceptable</u> | Ollacceptable | |
| General Planning Techniques | | |] | |
| Keep major recreation areas more separated | 57 | 14 | 14 | |
| Make vehicle access to areas less | | ., | r 7 | |
| convenient | 29 | 14 | 57 | |
| Make area's existence less obvious | 14 | 14 | 72 | |
| Site Planning Techniques | | | 100 | |
| Redesign area to accommodate fewer users | - | | 100 | |
| Design for greater distance between people | 20 | 20 | 60 | |
| Reduce number of parking spaces | 29 | 14 | 57 | |
| Change natural surface by paving | 33 | 33 | - | |
| Provide landscaped buffers | 33 | - | 67 | |
| Management Techniques | | | | |
| Procedures: | | | | |
| Require prior reservations | 57 | 14 | 29 | |
| Require permits | 43 | 43 | 14 | |
| Charge/increase fees | 43 | 14 | 43 | |
| Rules and Regulations: | | | | |
| Impose more rules | - | 17 | 83 | |
| Provide stricter enforcement of rules | 33 | 17 | 50 | |
| Close areas when natural resource destruction reaches critical point | 100 | - | _ | |
| Close areas when they become "too full" | 50 | - | 50 | |
| Reduce number of activities in seam area | 33 | 33 | 33 | |
| Limit number of people in visitor groups | 29 | - | 71 | |
| Keep unnecessary vehicles out | 67 | - | - | |
| Services: Provide more and better information | 86 | 14 | _ | |
| Increase maintenance and restoration | 67 | | 33 | |
| Reduce facilities and services | - | - | 100 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

SUNBATHING AND SWIMMING

Orientation

Several of the recreation areas at Lake Barkley provide designated sunbathing and swimming beaches. Sections of the shoreline are also used as undesignated swimming areas. Kuttawa is the only Corps operated day use area with a designated swimming beach. Kuttawa also offers a picnic area, nature trail, playground, and an adjacent marina. All beaches have restrooms nearby. Sunbathing and swimming areas are also provided by other agencies on the lake.

The findings reported in the remainder of this section are based on the User Survey. This survey obtained 17 responses from sunbathers and swimmers at Kuttawa and the Canal areas.

User characteristics

Table 42 indicates the characteristics of the sunbathers and swimmers surveyed at Barkley. The most significant differences in the characteristics of these users surveyed at Barkley from those surveyed at other project areas are: 1) only 12 percent were in a party of less than three people, and 2) all respondents travelled less than one hour to the activity area.

Table 42
Sunbather/Swimmer Characteristics

| | Percent of | Group | Percent of |
|-----------------|---------------------|-----------------|---------------------|
| Age | Sunbathers/Swimmers | Size | Sunbathers/Swimmers |
| <18 | 18 | 1 | 6** |
| 18 - 25 | 47 | 2 | 6** |
| 26 - 40 | 35 | 3 - 4 | 53 |
| 41 - 55 | 0 | 5 - 8 | 29 |
| 56 - 65 | Ō | 9 - 12 | 6 |
| >65 | 0 | >12 | Ö |
| Travel Time to | Democrate of | ¥7.4 - 4 ·· | D |
| | Percent of | Visit | Percent of |
| Project Area | Sunbathers/Swimmers | <u>Duration</u> | Sunbathers/Swimmers |
| <15 minutes | 24 | 1 - 4 hours | 53 |
| 15 - 30 minutes | 53 | 5 - 8 hours | 29 |
| 30 - 60 minutes | 24 | 1 day | 0 |
| 1 - 2 hours | 0** | 2 days | 0 |
| 2 - 3 hours | 0 | 3 days | 12 |
| 3 - 5 hours | 0 | 4 days | 0 |
| >5 hours | 0 | 5 - 7 days | 6 |
| | | >7 days | 0 |
| No. of Other | Percent of | | |
| Activities | Sunbathers/Swimmers | | |
| | | | |
| 0 | 0 | | |
| 1 | 71 | | |
| 2 | 6 | | |
| 3 | 12 | | |
| 4 | 0 | | |
| 5 | 6 | | |
| 6 | 0 | | |
| >6 | 6 | | |

^{**}Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 43 and 44 indicate the spacing that sunbathers and swimmers surveyed at Barkley and elsewhere prefer.

Swimmers preferred closer spacing more frequently than did the total survey sample.

Table 43 Preferred Distance Responses*

| Sample | Sample Size | Range | Mean | Median | Mode |
|-------------------------|----------------|---------------------|----------|----------|----------|
| All Sunbathers surveyed | 161 | 3- a | 30 | 20 | 15, 20 |
| Lake Barkley | 12 | 5-50 | 23 | 30 | 30 |
| Canal Kuttawa | 2 10 | 30 5 - 50 | 30 22 | 30 20 | 30 30 |
| All Swimmers surveyed | 120 | 2-200 | 25 | 20 | 20 |
| Lake Barkley (Kuttawa) | 5 | 5-15 | 1.2 | 15 | 15 |
| | | | | | |

*In feet; See Appendix A for definitions of terms.

a - response of "alone" or "out of sight."

Table 44 Preferred Distance Responses in Planning Range and Preference Groupings*

| Sample | % in Planning Range ¹ (5'-50') | % in A ² (5'-14') | % in B ² (15'-20') | % in C ² (21'-30') | % in D ² (31'-50') |
|----------------------------|--|---------------------------------|----------------------------------|----------------------------------|----------------------------------|
| All Sunbathers surveyed | 88% | 27% | 39% | 20% | 14% |
| Lake Barkley | 100 | 27 | 18 | 46 | 9 |
| Canal Kuttawa | 100 100 | 0 33 | 0 22 | 100 33 | 0 11 |
| Sample | % in Planning Range ¹ (5'-50') | % in A ² (5'-14') | % in B ² (15'-24') | % in C ² (25'-34') | % in D ² (35'-50') |
| All Swimmers surveyed | 90% | 25% | 41% | 19% | 15% |
| Lake Barkley (Kuttawa) | 100 | 33 | 67 | 0 | 0 |
| | | | | | |

*See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

Reasons for pleasant/unpleasant experience - Tables 45 and 46 indicate the impact that different factors had on making the sunbathing and swimming experience pleasant or unpleasant for users at the two areas surveyed.

Water quality was the only factor which was unpleasant in a significant number of cases at Kuttawa. None of the respondents indicated that they would not return.

Tables 47 and 48 indicate the changes in the physical condition and people's use of these areas by sunbathers and swimmers from their previous visit.

Table 45

Reasons Making Recreation Experience Pleasant or Unpleasant--Sunbathing/Swimming
Canal

| | Percentage* of Users Responding: | | | |
|--|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons Characteristics and behavior of other people | 100 | ~ | | |
| Distance from other people | 100 | - | - | |
| Number of people in other visitor groups | 100 | - | _ | |
| Number and type of other activities occurring here | 100 | ~ | | |
| Scenic views | 100 | _ | - | |
| Noise | 100 | ~ | - | |
| Accidents or near accidents | 100 | - | _ | |
| Enforcement of rules/regulations | 50 | 50 | - | |
| Car parking facilities | 100 | - | - | |
| Theft | 100 | - | - | |
| Vandalism | 100 | - | | |
| Land-Based Reasons Amount of facilities (restrooms, water, etc.) | 50 | 50 | _ | |
| Convenience to facilities (restrooms, water, etc.) | 100 | - | - | |
| Maintenance of facilities | 100 | ~ | - | |
| Condition of trees and landscape | 100 | - | - | |
| Condition of grass or soil | 100 | - | - | |
| Water-Based Reasons Water quality | 50 | 50 | - | |
| Formal designation of places for your activity | _ | - | - | |
| People in areas they shouldn't be | | | | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 46

Reasons Making Recreation Experience Pleasant or Unpleasant--Sunbathing/Swimming
Kuttawa

| | Percentage* of Users Responding: | | | |
|---|----------------------------------|------------|------------------|--|
| Reasons | Pleasant | Unpleasant | Not Important | |
| General Reasons Characteristics and behavior of other people | 92 | _ | 8 | |
| Distance from other people | 91 | | 9 | |
| Number of people in other visitor groups | 80 | - | 20 | |
| Number and type of other activities occurring here | 77 | 8 | 15 | |
| Scenic views | 92 | - | 8 | |
| Noise | 69 | 8 | 23 | |
| Accidents or near accidents | 77 | - | 15 | |
| Enforcement of rules/regulations | 69 | 15 | 15 | |
| Car parking facilities | 92 | - | 8 | |
| Theft | 77 | - | 16 | |
| Vandalism | 77 | - | 16 | |
| <u>Land-Based Reasons</u> Amount of facilities (restrooms, water, etc.) | 92 | 8 | - | |
| Convenience to facilities (restrooms, water, etc.) | 85 | 15 | - | |
| Maintenance of facilities | 100 | - | - | |
| Condition of trees and landscape | 100 | - | - | |
| Condition of grass or soil | 100 | _ | _ | |
| <u>Water-Based Reasons</u> Water quality | 78 | 22 | _ | |
| Formal designation of places for your activity | 66 | - | - | |
| People in areas they shouldn't be | | | | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 47

Positive and Negative Changes Noticed in the <u>Physical Conditions</u> of the Area - Items Mentioned by Sunbathers/Swimmers

| Area | Positive Changes | | Negative Changes |
|---------|---|-------------------|------------------|
| Canal | "New campsites" "Less smell on beach" "Boat docks" | (2) (1) (1) | (None mentioned) |
| Kuttawa | "Cleaner beach" "Better sand" "Bigger swimming area" "Better grass" "More development" "More maintenance" | (4) | (None mentioned) |

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 48

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Sunbathers/Swimmers

| Area | Positive Changes | Negative Changes |
|---------|-------------------------|--|
| Canal | (None mentioned) | "Nore from out of state" (1) |
| Kuttawa | "People friendlier" (2) | "Wild kids (using drugs and alcohol)" (2) |

Acceptability of techniques - Table 49 indicates the acceptability of different techniques for solving problems to the sunbathers and swimmers surveyed at Barkley. The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 13 of the 18 techniques. However, even for those techniques which were acceptable to most respondents, up to 47 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 49
User Acceptability of Techniques--Sunbathing/Swimming
Lake Barkley

| | Levels of Acceptability | | | |
|--|----------------------------------|---------------------------------------|--------------------|--|
| | Percentage* of Users Responding: | | | |
| Techniques | Very | Mildly | lin a a u an tabla | |
| | Acceptable | Acceptable | Unacceptable | |
| General Planning Techniques | | | | |
| Keep major recreation areas more separated | 71 | 12 | 18 | |
| Make vehicle access to areas less | } <u>'</u> | 12 | 10 | |
| convenient | 24 | 12 | 65 | |
| | | | | |
| Make area's existence less obvious | 18 | 6 | 76 | |
| Site Planning Techniques | | | | |
| Redesign area to accommodate fewer users | 65 | 6 | 29 | |
| | | | | |
| Design for greater distance between people | 76 | 6 | 12 | |
| Reduce number of parking spaces | 24 | 6 | 70 | |
| Management Techniques | | | | |
| Procedures: | | | | |
| | 12 | | 88 | |
| Require permits | 1.4 | | | |
| Charge/increase fees | 18 | ~ | 82 | |
| Rules and Regulations: | | | | |
| Impose more rules | 41 | 6 | 53 | |
| impose more rules | | | | |
| Provide stricter enforcement of rules | 41 | 18 | 41 | |
| Close areas when natural resource | 94 | 6 | | |
| destruction reaches critical point | 94 | , , | - | |
| | 59 | | 41 | |
| Close areas when they become "too full" | 39 | - | 41 | |
| Reduce number of activities in same area | 41 | 6 | 53 | |
| | <u> </u> | | | |
| Limit number of people in visitor groups | 6 | <u> </u> | 88 | |
| Keep unnecessary vehicles out | 47 | 6 | 47 | |
| Services: | | · · · · · · · · · · · · · · · · · · · | | |
| Provide more and better information | 88 | 6 | 6 | |
| TIOVIGE HOLE AND DEFLET THEOLINGTION | | <u> </u> | | |
| Increase maintenance and restoration | 94 | | 6 | |
| Reduce facilities and services | 18 | 6 | 76 | |

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS

PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS

This final section identifies and examines selected problems and situations at Lake Barkley. The section is not intended to provide solutions to all project area problems. Nor is it a substitute for project area master planning. The solutions/techniques are intended to be only suggestions for further consideration by project area personnel, for they are most familiar with the intricacies associated with these problems.

In many cases, the project area staff is already aware of these problems or situations and is in the process of dealing with them. And in some cases, the solutions/techniques listed in Table 50 may not be practical or possible because of management, budget, or other constraints.

THE PERSON NAMED IN COLUMN TO PERSON.

Table 50
Analysis of Selected Problems/Situations

| Area/Subject | Problem/Situation | Possible Solutions/Techniques |
|------------------------|--|--|
| Grand Rivers - camping | Overcrowding & Overuse Poorly identified sites and | • define site boundaries more clearly. |
| | unclear site boundaries have resulted in overcrowding. | • post a site number at each site. |
| | overuse, & in some cases, camping between sites. | designate group, family or double sites. |
| | | designate a space for vehicles and a pad for trailers & tents at each sito. |
| Canal - camping | Underuse—the walk—in tent area receives little use. Proximity to trailer sites & a large parking area may | relocate walk-in tent area to a site that is more secluded, more wooded, & more suited to the tent camping experience. |
| | deter use. | provide separate parking & access for tent sites. |
| | | • provide buffers in existing area. |
| | Because all picnic sites consist of only single tables, groups of picnickers are not | provide some end to end picnic table arrangements to serve families and groups. |
| | provided for. | relocate tables between seasons to reduce overuse. |
| | | • set aside a group area with a separate parking area. |

| Area/Subject | Problem/Situation | Possible Solutions/Techniques |
|------------------------------|---|---|
| Grand Rivers - picnicking | The area is <u>underused</u> . | • provide signs to inform people that the area exists. |
| | | • promote the area as a group picnic area (although the opportunity for engaging in other activities is quite limited). |
| Kuttawa - day use | OveruseHeavy foot traffic to the bathrooms has resulted in a worn path. | harden path between beach area and restrooms (e.g. wood chips, gravel, etc.). |
| | Overuse & User Conflicts boaters who randomly beach their boats & enter the swimming area have caused wear on the shore & boater/ swimmer conflicts. | • provide docks to tie up boats o tside swimming areas. |
| Tailwater and Other boat | Overcrowding & Overuse when all parking stalls are | • designate & harden additional parking area. |
| launching areas | filled, vehicles & trailers are parked on the side of roads, & on the grass, causing crowding, conflicts & overuse. | designate an overflow parking area on the grassed area. |
| | OvercrowdingDuring heavy use, delays are caused by users preparing boats for | • post signs instructing launchers to prepare boats for launching prior to pulling onto the ramp. |
| | launch only after they've backed down to the water & by users inexperienced in launching or retrieving a boat. | • provide a traffic control officer at the ramp during peak use periods such as Holiday weekends. |
| | Overcrowding—Delays & conflicts are often caused by boaters or fishermen who are alone & have no one to stay with the boat while parking or retrieving their boat. | • provide courtesy docks to tie boats to, to solve problem, es- pecially for the convenience of those with easily-damaged fiber- glass boats at ramps with rip-rap. |
| Tailwater- fishing | Fishermen leave fish-trimmings & unused bait on the rocks & parking areas. | provide suitable fish cleaning stations & trash receptacles at both the boat ramp & shore fish- ing areas. |
| | Overuseshoreline fishermen often park on the grass adjacent to the paved lot. | • install traffic control tech- niques (curb, chain, posts) to keep traffic in designated areas. |
| | | harden (gravel, bituminous) parking spaces closer to where people have parked off the paved lot and the severely eroded & compacted the soil areas. |

APPENDICES

APPENDIX A: KEY TERMS

- 1. Activity area The specific area where an individual primary activity occurs (e.g., a campground, the lake, a hiking trail, a picnic area, etc.).
- 2. <u>Capacity, recreational carrying</u> The capability of a recreational resource to provide opportunity for certain types of satisfactory tecreation experiences over time without significant degradation of the resource. Inherent in this view of carrying capacity are resource (biophysical) and social (psycho-social) capacities.
- 3. <u>Capacity, resource</u> The level of recreational use of a resource beyond which irreversible biological deterioration takes place or degradation of the physical environment makes the resource no longer suitable or attractive for that recreational use.
- 4. <u>Capacity</u>, <u>social</u> The level of recreational use of a resource or area beyond which the user's expectation of the experience is not realized and he/she does not achieve a reasonable level of satisfaction.
- 5. Carrying capacity guidelines The levels of use and the methods used to obtain and achieve them which are recommended in this report.
- 6. <u>Factors</u> The characteristics and phenomena which influence carrying capacity.
- 7. <u>Indicators</u> The phenomena which can be used to identify or measure the degree of overcrowding or overuse, and which can be used in conjunction with a monitoring system to help predict when problems of overuse and overcrowding will occur if preventive measures are not taken.
- 8. Management/site survey The initial survey conducted at the study project areas where resource managers, rangers, and maintenance personnel were interviewed and a reconnaissance was made of "overused," "overcrowded," "underused," and "well-balanced" recreation areas. (See Appendix B)
- 9. Mean The measure of central value defined as the sum of all observations divided by the number of observations.
- 10. Median The measure of central value defined as the point on the scale of observations which is the middle observation (if there is an odd number of cases) or which is the mean of the two central observations (if there is an even number of cases).
- 11. Mode The measure of central value defined as the observation with the largest frequency.
- 12. Monitoring The periodic assessment of the impact that use levels have on the social capacity or resource capacity of an area.
- 13. Overcrowding A condition where the user does not achieve a satisfactory recreational experience because of too many people, inadequate distances between sites, etc.

- 14. Overuse A condition where (during the course of a season/year) degradation of the physical environment makes the resource no longer suitable or attractive for recreational use.
- 15. Planning range The range of spacing distances for an activity which satisfies the spacing preferences of the majority of recreators participating in that activity, which at the same time accounts for other considerations (e.g., cost, safety, equity, etc.).
- 16. Preference distribution The set of preference groupings for an activity which can be modified to develop the social carrying capacity of an area.
- 17. Preference groupings The range of spacing distances for an activity which satisfies the similar spacing preferences of a group of recreators participating in that activity.
- 18. Primary activity The major recreation activity which brought the visitor to the recreation area.
- 19. Project area The land and water area of the total Corps of Engineers Project.
- 20. Project management The project area staff, district personnel, and other people involved with project area management.
- 21. Recreation area Corps-managed areas specifically identified for recreational use within the total Project Boundary; usually named.
- 22. Recreation day A standard unit of use consisting of a visit by one individual to a recreation development or area for recreation purposes during any reasonable portion or all of a 24-hour period.
- 23. Recreation environment An activity area together with its various recreation settings.
- 24. Recreation resource The land and/or water areas, with associated facilities, which provide a base for outdoor recreation activities.
- 25. Recreation setting The physical, development/control, activity/use relationship components of an activity area; taken as a whole, the various settings comprise a particular "recreation environment" for each activity area.
- 26. Recreation unit A campsite, picnic table, boat, off-road vehicle, user group, or other unit which when spaced together with other units represents a use level or density.
- 27. Representative recreation setting The most typical recreation setting for a particular activity.
- 28. Secondary activities Incidental activities; activities which are supplemental to the primary activity.
- 29. Study activity area An activity area at which the management/ site survey and the user survey was conducted.

A Land and the control of the contro

- 30. Study project area One of the 11 project areas at which the management/site survey and the user survey were conducted. These project areas are: Barkley Lock and Dam, Benbrook Lake, Hartwell Lake, McNary Lock and Dam, Milford Lake, New Hogan Lake, Lake Ouachita, Lake Shelbyville, Shenango River Lake, Somerville Lake, and Surry Mountain Lake.
- 31. <u>Title 36</u> Part 327, Chapter III, of Title 36 of the Code of Federal Regulations which provides rules and regulations governing the public use of water resource development projects administered by the Army Corps of Engineers.
- 32. <u>Underuse</u> A condition where use levels are significantly less than their potential service level.
- 33. <u>User survey</u> The survey that provided user preference information used in developing social capacity guidelines; information was obtained from users at the study project areas by means of a questionnaire (see Appendix B).
- 34. Well-balanced use A condition which exhibits just the right amount of use to satisfy users and protect the resource.

APPENDIX B: EXAMPLE SURVEY FORMS

This Appendix includes on the following pages examples of the survey forms that were used during the Management/Site Survey and the User Survey.

MANAGEMENT/SITE SURVEY PICNICKING QUESTIONNAIRE

(Resource Manager, Head Ranger, Maintenance Foreman)

| Title | Date .ed areas) | Acres List Total Primary Activities When Use Area Area Only Picnic Sites Adjacent to Area Started |
|--------------------------------------|---|---|
| | MATION (selected areas) | crea |
| Project Area Name Respondent Name | Interviewer PICNICKING USE AREA INFORMATION (s. | Support Facilities Cha |

<u>.</u>:

OVERUSED

UNDERUSED

WELL-BALANCED

OVERCROWDED

Average Frequency of visits per year

2. VISITUR CHARACTERISTICS RELATED TO OVERCROMDING/OVERUSE

| | | [±, | o | 힉 |
|----------|-----------------|-------------------|--------------------|----------------|
| roximate | # of miles | most visitors | travel to use area | Average |
| App | 0 | most | travel | High |
| | | - | sitors | 74 R |
| | | | of vi | 8 |
| | | | rigin (| Z U Z S Z R |
| | | | | Group Size |
| | | | Typical | Ages |
| | | Typical | Length | of Stay |
| | # of picnicking | groups on typical | recreation season | weekend day |
| | Recreation | Area/Use | Area Names | same as in #1) |

OVERCROWDED

OVERUSED

UNDERUSED

WELL-BALANCED

NOTES: "U = Urban location (city), S = Suburban location, R = Rural

3. CAUSES & EFFECTS OF OVERCROWDING/OVERUSE

Use Area Names (same as in #1 & #2)

Actual Complaints (list in order of frequency)

Surmised Causes Observed

Effects Surmised Observed

OVERCROWDED

OVERUSED

B4

UNDERUSED

WELL-BALANCED

TANKER OF STREET

*** * : /# OVERUSE/DEGRADATION

| highesi | degradation | eached | Approx. | visitor | group | to date |
|---------|----------------|------------|-----------------------|------------|-------------------|-------------|
| Then | degr | 1 61 | | | Approx. | date |
| signs | of degradation | noon | Approx. | visitor | groups | to date |
| When | of degr | first | | | Approx. | date |
| | | | Approximate | Dates of | Recreation season | (to) |
| | | | ıtlal | Beyond | off-season | restoration |
| | | Off-season | restoration potential | | Requires | treatment |
| | | | rest | | Recovers | naturally |
| | | | se areas which | experience | overuse | (from #1) |

5. INDICATORS (SIGNS) OF OVERCROWDING

| Indicators o Increase in the f of complaints o Arguments/conflicts between pic o Shorter stays o Increase in crime o Increase in noise crowded support facilities o Increase in litter o Increase in resource and facilit destruction o Occurrence of displacement/succ (changes in visitor character (changes in number of accidents involving vehicles o Increase in use levels | lastramina patan |
|--|---|
| | rating on a scale of Indicators: 1 (least) to 10 (most) |
| | Increase in the # of complaints |
| Shorter stays Fewer returnee Increase in control of the control of | Arguments/conflicts between picnickers |
| Fewer returnee Increase in cr Increase in no Crowded suppor Increase in re destruction Occurrence of (changes in Increase in nu | sAe |
| Increase in control of the control o | теев |
| Increase in no Crowded support Increase in 15 destruction Occurrence of Changes in Increase in nu involving veriouse in us | n crime |
| Crowded supportences in lincrease in redestruction Occurrence of (changes in Increase in number involving veriencese in us | n noise |
| Crowded suppor Increase in 11 Increase in re destruction Occurrence of (changes in Increase in nu involving ve | in non-picnic areas |
| Crowded suppor Increase in 14 Increase in re destruction Occurrence of (changes in Increase in nu involving ve | |
| Increase in redestruction Occurrence of (changes in Increase in number of involving ve | support facilities |
| Increase in redestruction Occurrence of (changes in Increase in nu involving ve | n litter |
| Occurrence of (changes in Increase in nu involving ve | Increase in resource and facility destruction |
| | of displacement/succession in visitor characteristics} |
| | n number of accidents g vehicles |
| | use levels |
| (Please list others below) | others below) |

В6

s.

b. INDICATORS OF OVERUSE/DEGRADATION

| | Assign relative importance | |
|---------|--|----------|
| | using a numerical rating on a scale of | |
| | Indicators 1(least) to 10 (most) | Comments |
| 0 | Ground cover wearing away | |
| 0 | Damaged trees and/or undergrowth | |
| 0 | Absence/change in wildlife | |
| O | Increased erosion/sedimentation | |
| 0 | Little deadfall | |
| 0 | Compacted soils | |
| O | Increased litter/trash | |
| Ó | Trees cut down | |
| ٥ | Increased runoff | |
| 0 | Need for replacement of support facilities before normal life period | |
| O | Rodent infestation | |
| <u></u> | (Please list others below) | |
| o | | |
| 0 | | |
| rs . | | |
| Ç | | |

В7

FACTORS AFFECTING RESOURCE CARRYING CAPACITY .

Assign relative importance rating on a scale of 1 (least) to 10 (most) using a numerical

Comments

| type | |
|---------------|---|
| vegetation | 1 |
| | • |
| Resiliency of | |
| 0 | |

Factors

Resiliency of soils -0

Resiliency of wildlife -

Degree of normal maintenance applied

Degree of off-season restoration applied

Slope/topography -Site drainage -

Climate/micro-climate -

Group size -

Slope orientation --Tree cover ь 0

Level of development (e.g. paved roads/paths) -

(Please list others below)

в8

The state of the s

THE RESIDENCE OF THE PARTY OF T

8. FACTORS AFFECTING SOCIAL CARRYING CAPACITY

Factors

Assign relative importance using a numerical rating on a scale of I (least) to 10 (most)

| u | |
|------|--|
| | |
| ou l | |
| a. | |
| ᄩ | |
| ন | |
| വ | |
| -, | |
| | |
| | |
| | |

| Similarity of visitor groups | Slope orientation | Distance from highway access | Proximity to the water | Scenic views or vistas | Quality/variety of natural amenities | Number, type, and degree of man-made intrusions or disturbances (power lines, buildings, etc.) | Visual screening between picnickers | Density/type of vegetation | Distance between picnic sites | Degree of designation | Level of support facilities | Proximity to support facilities | Size of picnicking area | Charging of fees | Compatibility of nearby primary activities | Single purpose or multi-purpose recreation area | Distance traveled | Frequency of visits | Origin of user (urban, suburban, rural) | Configuration of area | Degree of maintenance | (Please list other factors) |
|------------------------------|-------------------|------------------------------|------------------------|------------------------|--------------------------------------|--|-------------------------------------|----------------------------|-------------------------------|-----------------------|-----------------------------|---------------------------------|-------------------------|------------------|--|---|-------------------|---------------------|---|-----------------------|-----------------------|-----------------------------|
| o Si | 0 5.1 | o Di | 0 P1 | o Sc | ं | O Nr | o Vi | o Q | o D | o D | o 1.6 | o Pr | o Si | ن د | ပိ | o Si | i. | <u>ц</u> | 0.01 | ပိ | o Ž | (Pleas |
| | | | | - | | • | | | - B9 | | | | | | | | | | | | | |

,是是这种人的,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们也是一个人,我们也是一个人,我们也是一个人, 一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们也是

PRESENT/PAST CAPACITY MANAGEMENT

| Cse areas where | | | | Describe | |
|------------------|------|---------|---------------|----------------------|-------------------------|
| capacity | | | | level of effective- | Assessment of managemen |
| management | | | List capacity | ness (pros/cons | feasibility (pros/cons |
| techniques were, | | | management | regarding visitor | why the technique coul |
| or are now, | Past | Present | techniques(s) | satisfaction and | or could not be |
| annited (Name) | S | S | pesa | resource protection) | (molemented) |

Use Area Names

THE MOST OVERCROWDED

AREA:

Present capacity actual or estimated

Eest guess as to
what the capacity
should be

Principa) factors

THE MOST OVERUSED AREA:

THE MOST UNDERUSED AREA:

B11

THE MOST WELL-BALANCED AREA:

(Use as a general guide when estimating what the capacity should be) EXAMPLES FROM BUREAU OF OUTDOOR RECREATION CAPACITY RESEARCH:

(35' between tables if equally spaced) 35 35 (104' between tables if equally spaced) BASE 13 3 TABLES 'ACRE

MANAGEMENT/SITE SURVEY

CAMPING

USE AREA ANALYSIS SHEET

(for URDC staff use)

| • | Area Name | | | d wualas | (8) |
|----------|-------------------|-------------------------------------|---|--|-----------|
| Recreat | | or Use Area | | | |
| Code # | | | | | |
| | | | | | COMMENTS: |
| | Signage | Between main highway | | | |
| SITE | (camping | and use area entrance | L | - | |
| AWARE- | or name) | At use area entrance | | | |
| | Exposure | Between main highway and | | 1 1 | |
| NESS | of | use area entrance | | | |
| | Site Relation- | At use area entrance | ├ | | |
| | ship to | Distance to area from main | | 1 1 | |
| | Main | highway | | 1 1 | |
| ; | Highway | li I giiway | | \ | |
| 1 | A. C. | Road to site from main | | | |
| SITE | | highway | | | |
| ļ | | Paved(P) or Unpaved(U) | | | |
| ACCESS | Road | Condition (E, G, P) | | | |
| | | Estimated Width | | | |
| , | Conditions | Road within use area | | | |
| : | | Paved(P) or Unpaved(U) | | | |
| 1 | | Condition (E, G, P) Estimated Width | | | |
| , | | Presence of informal roads | | | |
| | | Z of agea () - 5% | | + | |
| ; | | % of agea 6 - 9% | | | |
| | Slopes | Z of area 102+ | | 1 1 | |
| l | | Existence of unique land form | | | |
| SLOPES | | Density of trees | | | |
| 32017.3 | | % dense | | | |
| 6 | | 7 moderate | | | |
| _ | | 2 sparse | | | |
| GETATION | Vegetation | 2 little or none | | | |
| 1 | | Density of understory | | { } | |
| | | % dense % moderate | | | |
| | | % sparse | | | |
| į | | 2 little or none | | | |
| | | Geologic, cultural, archeo- | | | |
| ļ | On the | logic features | | 1 1 | |
| ļ | Use Area | Abundance of wildlife | | | |
| | | Water feature | | | |

| , | | Visit ity to wa | | 4 |
|----------------|---|-------------------------------------|-----------------|--------------|
| | ĺ | | Severe | i |
| | ì | O - ourstanding | Moderately | |
| | | | obstructed | ; ; |
| NATURAL | | G - good | Midly | |
| | | U - undestrable | | |
| | From | t - undestrable | Unobstructed | |
| | | Visibility to ot | | 1 |
| AMENITIES | the | areas | i i | |
| | | (insert) | Severely | |
| | Use Area | 0 - outstanding | | • |
| | : | ., | Moderately | 1 |
| | | G = good | obstructed | |
| | | , | Mildly | ["-"] |
| 1 | 1 | U - undestrable | obstructed | |
| | | | Unobstructed | |
| | | Distance to lake | | |
| COMP I THOM | Vegetation | Dead or trampled | | |
| CONDITION | 6 | Evidence of taki | ne | |
| NATURAL | Soils | Compacted soils | | |
| FEATURES | Drainage | Wet soils/standi | ng water | |
| - 124 - C (CL) | | Trosion | | |
| | | Electric hook-up | | |
| | | Water hook-up | | |
| | | Improved pad | | |
| | | Picnic tables | | |
| | Facility/ | Cooking grill Firewood | | |
| | • | Drinking water (| cold) | |
| | Service | Hot water | | |
| CHLITIES | l Distribution | Showers | | |
| | | Flush tollets | | |
| 6 | | Vault toilets | | |
| | (S - Site | Pit tollets | | |
| ERVICES | D-Distributed | Dumping station | | |
| | | Shelter | | |
| ' | C - Centra- | first ald static | 011 | <u> </u> |
| | lized) | <u>felephone</u> | | |
| | | Lighting (R - re | ad, P - Parking | |
| | ! | W - Walkway, C | - Comfort area | |
| | | Recreation area Convenience stor | or equipment | |
| | | Excellent | | |
| | Condition | Good | | |
| | | Need attention | | |
| | Distance | Minimum | | |
| | between | Maximum | | |
| | campsites | Average | | |
| | Distance | Minimum | | |
| | between | minimum: | | |
| | campsites | Maximum | | |
| | and | | | |
| | the | Average | | |
| .ANN LNG | facilities | ļ | | - |
| | Space for | Ample | | L |
| R S I GN | camper | 1 | | |
| H 2 1 626 | i unit i mapeover- | Acceptable | | |
| | ability | Restrictive | | |
| spr : | 1. 1. 1994 (* 1944) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | िक्तिकारली ted (द्वारी) | , ar tendanO | |
| • | 10000 | rante at Long | _ 2 | 1 |

Camping

| Car Parking | site Road parking |
|--------------------------------|--|
| Buffer between Campsites | Man-made Natural vegetation Planted landscape None |

RELATIONSHIP OF CAMPING USE AREA TO OTHER USE AREAS

| | Estimated | Pedestrian accessibility to other use area | | | Visibility to other use area | | | Reasons for accessibility | |
|-----|-----------|--|------|---------------|---------------------------------|-----------------|----------------------|---------------------------|----------------------|
| lse | | direct distance | | м. а | D. C. C. | o.L | Camel ak | 11= a.b. | and/or |
| ea | Activity | from camping use area | Easy | Mod- erate | Diffi- cult | Ob- structed | Semi-ob- structed | Unob- structed | visibility situation |

ANALYST'S PERCEPTION OF ACTIVITY AREA'S CARRYING CAPACITY

| List the resource/physical factors you feel most affect carrying capacity on this site | |
|--|--|
| Should resource/physical carrying capacity of this site be: hi | igher lower same |
| List possible techniques which might bon this site. | be used to increase and/or to limit capacity |
| | |

CORPS OF ENGINEERS USER CAPACITY SURVEY

| Date Day | OMB Clearance # 49-R0419 |
|--|--|
| Time (hour) | Expires October 1983 |
| Weather | |
| | Project Area Name |
| Interviewer Activity Code | Recreation Area Name |
| We are conducting a survey for the Army Corps | of Engineers at selected Corps recreation areas , we will discover how visitors feel about over- |
| | the Corps will use this information to help its recreation areas. Would you be willing to me questions about your visit here? |
| BASIC VISITOR CHARACTERISTICS | |
| 3 1. | 4. How long did it take sthis your main you to travel here |
| 1. In which category 2. How large is de | estination or a from your home (\checkmark) or copover on a trip? last destination (\checkmark) ? |
| 17 & under | in destination [] Under 15 minutes [] |
| 18 - 25 | 15-30 minutes pover on trip 30 min 1 hour |
| 41 - 55 📅 5-8 🗍 | 1 - 2 hours |
| 56 - 65 | 2 - 3 hours |
| | 5+ hours |
| VISITOR PARTICIPATION | |
| 6. Hov | many times have participated in 7. How long are |
| | s activity at you staying |
| activity anywhere last year? | s Lake? on this visit? |
| (if "O", go to Question 7) a) Last year | 77 |
| 0 | ☐ 0 ☐ 5 - 8 hours ☐ ☐ 1 - 2 ☐ 1 day(overnight) ☐ |
| 6 - 10 | 3-4 2 days |
| 11 - 20 | 5-7 3 days 4 days |
| 21 - 30 | 11-19 5 - 7 days |
| 20+ | 20+ 8 or more days |
| 8. Have you participated in this activity at i | his specific location anytime before this visit |
| | es you have noticed in the physical condition of |
| (go to #9) this location or in po | cople's use of the area. |
| | |
| Physical condition: | People's use of the area: |
| Positive | Positive |
| | |
| [] No. of the | Marine in the second se |
| □ Negative | Negative |
| | The second secon |
| | and the second s |
| | |
| 9. Would you say the number of people who are | e now participating in this activity are: |
| too manv [] too few [] | ju- the right number |
| 144 Care 2 14 | 5 |
| WES Form 1 19 19 19 19 19 19 19 19 19 19 19 19 1 | |


|). a |) would you say that the distance between you and other people is: |
|--|--|
| | too tar [] (to 10e) just right [] (to 10e) too close [] |
| | (Actual or estimated distance to be recorded by interviewer) |
| | _ |
| ь |) If other people are too close, how far away would you like them to be? \Box Not Applicable |
| | just a little twice as far three times more than tarther 3 times |
| ¢ | What is the closest distance you would accept? |
| đ | What distance would you like them to be? |
| 1. a | Which of the following reasons are making your present activity at this location |
| | pleasant or unpleasant? |
| | Un- Not Does No Pleasant pleasant Important Apply |
| ENER | AL REASONS |
| | |
| . C) . D) | maracteristics and behavior of other people |
| Nı | stance from other people |
| . Ni | mber and type of other activities occurring here |
| F | es charged |
| . S | cenic views |
| . No | vise |
| A | cidents or near accidents |
| Er Ca | offorcement of rules/regulations |
| Th | nett |
| v. | indulism |
| ers | , · · · · · · · · · · · · · · · · · |
| | |
| . As . Co . Ne . St . Ma . Co | sual privacy from other people |
| | ASED REASONS |
| Wa | ter quality |
| Ca | tching fish |
| 100 | rmal designation of places for your activity |
| ₩a Wa | diting time to launch boat |
| Pe | iting time to retrieve boat |
| ers | ople in areas they shouldn't be |
| - | |
| | |
| | |
| b) | Will any of the above reasons prevent you from coming here again? |
| | No [] Yes [] |
| | If yes, which reasons (selected from reasons checked "unpleasant" above)? |
| | , |
| | |
| | |
| | to the contract of the contrac |

12. If recreation areas have too many people for each to enjoy the activity or if areas become damaged by too much use, there are some solutions for reducing that overcrowding or overuse. Please indicate which of the following possible solutions you would find very acceptable, mildly acceptable, or unacceptable for reducing crowding and/or natural resource destruction in this location. (If this location is not overcrowded or overused, assume that it is for this question.)

| Pne | STRIE SOLUTIONS FOR OUTDEROUNDING OR OUTDING | Very Accept- | | | Not Apply |
|---|---|-----------------|------|---|---|
| | | able_ | able | able | Аррту |
| | Make the area's existence less obvious to the general publi | c | | | |
| ACT | IVITY RELATIONSHIPS & USE DENSITY | | | | |
| 4. 5. 6. 7. 8. | Reduce the number of different activities occurring in the same area Design for greater distance between people | | | ::::::::::::::::::::::::::::::::::: | - :::::::::::::::::::::::::::::::::::: |
| 9. | use | | | | : |
| 10. 11. 12. 13. | Reduce the type and number of facilities and services provi Keep unnecessary vehicles out of areas Reduce number of parking spaces to limit number of users. Provide landscaped buffers between visitor groups to increa | | | | : |
| 15. 16. 17. 18. 19. | Have stricter enforcement of regulations | | | | |
| 2. Make the area's existence less obvious to the general public (fewer signs and directions) 3. Provide more and better information on how to use the area | — □· | | | | |

The same of the sa

| | visit. | a) What are you other recreactivities this visit? | tance or dr from this l ur (use launch ation for boat ac on (1) Walking | ing location tivities) (2) Driving | |
|-----|----------------------|---|---|--|---|
| 1. | Camping | | | | |
| 2. | Boating | | | O | [] |
| 3. | Waterskiing | | | | • • • • • • • • • • • |
| 4. | Swimming | | | D | |
| 5. | Sunbathing | | | 🖂 | • • • • • • • • • • |
| ь. | Picnicking | | | | |
| 7. | | _ | | _ | |
| 8. | Boat fishing | | | | |
| 9. | | | | | |
| 10. | | | | | |
| 11. | Off-road vehicle | riding | | 🗆 | • |
| 12. | | 🗆 | | | |
| 13. | | | | _ | _ |
| 14. | • | _ | 🗆 | _ | _ |
| 15. | | _ | | | _ |
| 16. | None | | ···· | [] | |
| | RECREATION EQUIP | PMENT RECORD | | | |
| | Camping | | Boat Activities | | Off-Road Vehicle Riding |
| | Tent | | Day sailer | | Trail bike |
| | Tent camper | | Sailer (cabin) 🔲 | | Motorcycle [|
| | Truck-mounted camper | | Canoe Row boat | | ATV Dune buggy |
| | Travel trailer | | Power boat | | 4-wheel drive |
| | Van | | (less than 25 hp) | | |
| | Motor home | | Power boat [] (25+ hp) | | |
| | | | Houseboat or cruiser | | |
| | | | | | |
| | COMMENTS: | | | | |



REPLACEMENT QUESTIONS TO ASK DURING BOAT LAUNCHING INTERVIEWS (Write answers and comments directly on the User Survey Interview Sheet)

| 10. | a) | Would you say that the time it takes you to launch your boat at this ramp is: |
|-----|----|--|
| | | too long long, but tolerable just right |
| | | (Approximately how long does it take to launch your boat at this ramp? Actual or estimated time to be recorded by interviewer) |
| | b) | How long would you prefer it to take: |
| | | just a little compared twice as compared the three compared times faster compared to the compared times faster compared to the compared times faster compared to the c |
| | c) | What could be done to expedite boat launching at this ramp: |
| | | |
| | | |

APPENDIX C: PROJECT AREA DESCRIPTION

Barkley

Location

Lake Barkley Lock and Dam (Nashville District) is located on the Comberland River, 31 miles above its confluence with the Ohio River. Paducah, Kentucky is about 25 miles west of the dam. Nashville, Tennessee is about 100 miles to the southeast and St. Louis, Missouri is 150 miles to the northwest.

Authorization and purpose

The Barkley Dam Project was authorized under the River and Harbor Act of 3 September 1954 for the purposes of flood control, navigation, and hydroelectric power generation. The Barkley Project serves as a major unit in the comprehensive plan for development of the Cumberland River Basin.

Project area size and features

At the normal recreational elevation (359 feet ms1), the lake has a surface area of 57,920 acres and the land area is 50,680 acres (36,284 acres of fee and 14,396 acres of flowage easement). The lake extends 118 river miles upstream to Cheatham Lock and Dam, varying in width from 1/2 to 2-1/2 miles.

Depth of the main navigation canal is maintained at nine feet to accommodate commercial barge traffic. Water depths outside the main channel range from five feet to zero feet. In times of low water, lands normally submerged show above the lake surface. In autumn the water level is drawn down about five feet to accommodate the anticipated spring runoff. Submerged stump fields, old roadbeds, and railroad grades are found in certain portions of the lake and pose some danger to recreational boaters. There is moderate evidence of shoreline erosion, and siltation necessitates occasional dredging of the lake bed.

Much of the Take's western shoreline downstream of Dover, femnessee is part of the Land Between the Lakes, a \$170,000-acre recreational area managed by the Tennessee Valley Authority. West of the Land Between the takes is Kentucky Lake, paralleling Lake Barkley. The two takes are joined at their northern ends by a navigation canaf.

Corps of Engineers personnel at the project area include a Resource Manager, Assistant Resource Manager, five park rangers, a Maintenance Supervisor, maintenance crew, and crews at the lock, dam, and power house. Cate attendant responsibilities and some maintenance (such as trash pick-up and grass mowing) are carried out on a contract basis. Topography

The topography of the land surrounding the lake varies from gently rolling hills to steep hills.

Climate

Temperatures range from the upper 80 degrees F. (with extremes to over 100 degrees F.) in the summer to the upper 20 degrees F. (with extremes to below -10 degrees F.) in the winter. The average annual temperature is 58 degrees F. There is an annual average of 44 inches of rain and 12 inches of snow. Prevailing winds come from the northwest at about 10 mph in winter and from the southwest at about seven mph in summer. Throughout the year, 60 percent of the days are sunny, but in the summer months the rate increases to 70 percent.

Bottomlands consist primarily of moderately well-drained, alluvial soils. The less fertile hillsides consist of moderately- to

well-drained soils.

Vegetation on the project's open lands ranges from grazing pastures and hayfields (these lands are still under lease for agricultural purposes) to a dense cover of herbaceous and woody plants including blackberry, wildrose, honeysuckle, and box elder. Forested areas are composed of mainly the mixed oak-hickory type of cover, although yellow poplar, walnut, American elm, white ash, green oak, and American beech also exist. The understory consists of dogwood, sourwood, redbud, black cherry, western red cedar, and persimmon.

Fish and wildlife

Soils and vegetation

Crappie, rockfish, blue and channel catfish, largemouth, black, and striped bass, bluegill and other sunfish, and sauger are the major species of fish found in lake Barkley.

When planned wildlife management programs are initiated, the wildlife inhabiting the lake area will include deer, racoon, rabbit, gray squirrel, and other small upland game and non-game species. Various types of water fowl, mourning doves, and upland game birds such as bobwhite quail, and turkey will also benefit from the forest and wildlife management programs.

Population areas served and accessibility

Much of the area surrounding the project is rural. However, within a 150-mile radius of the lake are the cities of Louisville, Kentucky, Nashville, Memphis, and Clarksville, Tennessee, St. Louis, Missouri, and Evansville, Indiana. The project is accessible to both local and regional traffic by a system of federal, state, and county highways. Recreation areas

The Lake Barkley Project Area contains 3935 acres of developed recreational land. The Corps manages 23 multiple-use areas which occupy approximately 2000 acres. Six commercial marinas occupy 206 acres; Lake Barkley State Resort Park (State of Kentucky) accounts for 1700 acres; the City of Clarksville, Tennessee operates two parks of 35 acres; and the City of New Providence, Tennessee operates a 30-acre park. The Cross Creeks National Wildlife Refuge of the Fish and Wildlife Service (U. S. Department of the Interior) is located nearby.

Access to the water is easily accomplished along most of the lake's shoreline. Best access is at the 37 Corps recreation points (14 of which consist of a boat ramp and parking area). Activities available at Corps and/or other public or private areas are: camping, boating, hiking, picnicking, cycling, horseback riding, boat fishing, shore fishing, hunting, waterskiing, and amphitheater and interpretive program participation. Corps support facilities include a visitor center, restroom and shower buildings, picnic shelters, boat launching ramps, and electric service, water service, and dumping stations at campgrounds. Visitation

In 1978, 5,395,900 recreation days—were recorded at Lake Barkley. June was the month of highest visitation, with 1,011,900 recreational days reported.

In accordance with letter from DAEN-RDC, DAEN-ASI dated 22 July 1977, Subject: Facsimile Catalog Cards for Laboratory Technical Publications, a facsimile catalog card in Library of Congress MARC format is reproduced below.


Urban Research & Development Corporation.

Recreation carrying capacity facts and considerations; Report 1: Barkley Lock and Dam, Lake Barkley Project Area / by Urban Research and Development Corporation, Bethlehem, Pa. Vicksburg, Miss.: U. S. Waterways Experiment Station; Springfield, Va.: available from National Technical Information Service, 1980.

iv, 77, [25] p.: ill.; 27 cm. (Miscellaneous paper - U. S. Army Engineer Waterways Experiment Station; R-80-1, Report 1)

Prepared for Office, Chief of Engineers, U. S. Army, Washington, D. C., under Contract No. DACW39-78-C-0096. Project map of Lake Barkley in pocket at end of report.

1. Barkley Lake Project. 2. Carrying capacity. 3. Monitoring. 4. Overcrowding. 5. Recreation. 6. Recreation resource planning. 7. Recreational areas. 8. Recreational facilities. 9. Utilization. I. United States. Army. Corps of Engineers. II. Series: United States. Waterways Experiment Station, Vicksburg, Miss. Miscellaneous paper; R-80-1, Report 1. TA7.W34m no.R-80-1 Report 1



ake Barkley, Kentucky and Tennessed

CADIZ
Cadiz

| CORPS OF ENGINEERS RECREATION AREAS | | | Œ | Λ | 5 |
|-------------------------------------|---|---|---|---|---|
| CANAL | • | 0 | • | 0 | |
| DAMSITE | | • | | | • |
| EUREKA | • | • | • | • | |
| GRAND RIVERS | | 0 | | 0 | |
| KUTTAWA | 0 | 0 | | | 0 |
| LAKE BARKLEY | 0 | | | | |


O denotes activity offered in red denotes interviews conducted



Corps recreation area other recreation area government-owned land municipal boundary



ucky and Tennessee



| CORPS OF ENGINEERS RECREATION AREAS | | ~ | F | Δ | 8 | K | 3 | -/\- | 2. | |
|-------------------------------------|---|---|----------|---------------|---|----------|----------|----------|----------|---|
| CANAL | • | 0 | • | 0 | • | | • | | • | • |
| DAMSITE | | • | | | • | | | 0 | | |
| EUREKA | | • | • | • | • | | | • | 0 | 0 |
| GRAND RIVERS | | 0 | • | 0 | • | | | • | • | 0 |
| KUTTAWA | 0 | 0 | | | 0 | 0 | | • | • | 0 |
| | | | 1 | $\overline{}$ | | † | | <u> </u> | \vdash | |


- O denotes activity offered in recreation area
- denotes interviews conducted in activity area




Corps recreation area other recreation area government-owned land municipal boundary



dam lake shoreline highway secondary road





| CORPS OF ENGINEERS RECREATION AREAS | | | P | Δ | 5 | X | | 44 | 2. | |
|-------------------------------------|---|---|----------|---|---|---|---------|----|----|---|
| CANAL | • | 0 | • | 0 | • | | • | | • | • |
| DAMSITE | | | | | • | | | 0 | | |
| EUREKA | | | | | • | | | • | 0 | 0 |
| GRAND RIVERS | | 0 | • | 0 | • | | | • | • | 0 |
| KUTTAWA | 0 | 0 | | | 0 | 0 | | • | | 0 |
| LAKE BARKLEY | 0 | | | | • | | | | | 0 |

- O denotes activity offered in recreation area
- denotes interviews conducted in activity area



Corps recreation area other recreation area government-owned land municipal boundary



lake shoreline highway secondary road

prepared by Urban Research and Development Corporation - Bethlehem, Pa.

